

# CASTLOADERS 2025

PRICE LIST  
RETAIL



CASTGROUP

ARTICULATED MINILOADERS WITH HYDROSTATIC  
TRANSMISSION, OPTIONAL, WHEELS AND ATTACHMENTS.



## INDEX



GENESIS 25HP	4
800 ECO	8
825D	12
830D CARBON	16
840D	20
28T	24
30T	28
33TLX	32
CARBON LINE	36
FOREST LINE	38
40XD	40
MAXO 57 SINGLE SPEED	44
MAXO 57 DUAL SPEED	48
ATTACHMENTS	53
WHEELS	71
AFTERMARKET KIT	72
WARRANTY	75



## LIFTING CAPACITY

□ 800 Kg [B]



## BOOM HEIGHT

□ 2750 mm



## ENGINE POWER


□ 25 Hp



## HYDRAULIC SYSTEM

□ 44 l/min






## TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension

	BALLAST (100 kg)	NO BALLAST	BALLAST (100 kg)	NO BALLAST
<b>A</b>	800Kg	560 Kg	790 Kg	520 Kg
<b>B</b>	1025 Kg	800 Kg	1000 Kg	780 Kg
<b>C</b>	620 Kg	380 Kg	590 Kg	350 Kg
<b>D</b>	500 Kg	320 Kg	460 Kg	320 Kg
<b>E</b>	388 Kg	305 Kg	370 Kg	180 Kg



## ☐ STANDARD SET-UP

Engine	On Demand
Power Hp / Kw	25/18.5
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Hydraulic system l/min	44
Joystick	11 funzioni
LED headlights	Standard
12 V power outlet + Front auxiliary electrical outlet 165W	Standard
Heated comfort seat	Standard
"UNIVERSAL" coupling plate	Standard
ROPS+FOPS protection	Standard
Telescopic boom + Self Leveling + Electrical Floating system	Standard
Tractor wheels	26x12.00-12
Weight Kg	1155

## ☐ CODE WITH STANDARD SET-UP

PRICE €

G	2	5	2	0	0	0	0	1	M	1	_	L	P
---	---	---	---	---	---	---	---	---	---	---	---	---	---

On Demand

## ☐ MORE DATA

Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	12
Yanmar 3TNV80 Engine oil tank capacity (L)	4,2
Yanmar 3TNV76 Engine oil tank capacity (L)	4,2
Isuzu 3CH1 Engine oil tank capacity (L)	3,6
Hydraulic oil tank capacity (L)	40

## ☐ WHEELS



**SKID**  
23x8.50-12  
23x10.50-12  
26x12.00-12



**ALL TRAC**  
8PR  
300/60X12



**TRACTOR**  
23x8.50-12  
23x10.50-12  
26x12.00-12




**TURF**  
23x8.50-12  
23x10.50-12  
24x13.00-12  
26x12.00-12

## ☐ OPTIONS

## PRICE €

4	5	1	2	0	3	9	3	Side counterweights 100Kg	546,00
4	5	1	2	0	1	3	3	Trailer coupling	330,00
4	5	1	2	0	3	9	6	Difference from standard to garden wheels 24x13.00-12	600,00
4	5	1	2	0	2	7	3	Difference from standard to All trac 300/60	197,00
4	5	1	2	0	3	9	4	Toro plate	616,00
4	5	1	2	0	0	9	2	Safety block bracket for boom	On Demand


**LIFTING CAPACITY**☐ 1400 Kg [B]**BOOM HEIGHT**☐ 2980 mm**ENGINE POWER**☐ 15 kW**HYDRAULIC SYSTEM**☐ 25 l/min



### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension

	ELECTROLYTE	LITHIUM (ballast)	ELECTROLYTE	LITHIUM (ballast)
<b>A</b>	1000 Kg	1000 Kg	640 Kg	640 Kg
<b>B</b>	1400 Kg	1400 Kg	910 Kg	910 Kg
<b>C</b>	800 Kg	800 Kg	544 Kg	544 Kg
<b>D</b>	750 Kg	750 Kg	480 Kg	480 Kg
<b>E</b>	600 Kg	600 Kg	380 Kg	380 Kg



☐ STANDARD SET-UP

Engine	Electric, 2 permanent magnets
Battery type	Traction battery
Rated Voltage (V) and Rated Capacity (Ah)	51,2 - 210
Power Kw	15
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Hydraulic system l/min	25
Hydraulic oil tank capacity (l)	25
Selflevelling	Standard
Joystick	14- function
12 V power outlet	Standard
Adjustable ergonomic seat with safety belts	Standard
"UNIVERSAL" coupling plate	Standard
Working led lights (2 front + 1 rear)	Standard
ROPS+FOPS protection	Standard
Telescopic boom	Standard
Silent block	Standard
Tractor wheels	23x8.50-12
Weight Kg	1525

☐ CODE WITH STANDARD SET-UP

PRICE €

P 8 0 0 E 0 0 2

49.887,00

☐ CONTINUOUS 220V ELECTRONIC BATTERY CHARGER INCLUDED☐ MORE DATA

Tipping load in transport position (Kg)	1000 [A]
Max pulling force (Kg)	670
Breakout force with boom down (Kg)	980
Speed (km/h)	12@ 26x12.00-12
Hydraulic oil tank capacity (L)	29

☐ WHEELS

**SKID**  
23x8.50-12  
26x12.00-12  
5.70-12



**ALL TRAC**  
8PR  
300/60X12



**TRACTOR**  
23x8.50-12  
23x10.50-12  
26x12.00-12  
7.00-12



**TURF**  
23x8.50-12  
23x10.50-12  
24x13.00-12  
26x12.00-12

<input type="checkbox"/> OPTIONS										PRICE €
4	5	1	2	0	0	4	8	Electric floating system	350,00	
4	5	1	2	0	2	3	9	Difference for High power Working LED lights (2 front + 1 rear)	348,00	
4	5	1	2	0	2	4	1	Rear-view mirrors	175,00	
4	5	1	2	0	2	4	7	Difference from standard to turf wheels 23x10.50-12	191,00	
4	5	1	2	0	0	5	0	Difference from standard to turf wheels 26x12.00-12	556,00	
4	5	1	2	0	1	8	3	Difference from standard to turf wheels 24x13.00-12	1.155,00	
4	5	1	2	0	2	5	0	Difference from standard to skid wheels 26x12.00-12	1.265,00	
4	5	1	2	0	0	5	8	Difference from standard to tractor wheels 23x10.50-12	596,00	
4	5	1	2	0	0	5	5	Difference from standard to tractor wheels 7.00-12	863,00	
4	5	1	2	0	0	2	9	Difference from standard to skid wheels 5.70-12	367,00	
4	5	1	2	0	0	5	7	Difference from standard to tractor wheels 26x12.00-12	614,00	
4	5	1	2	0	2	7	4	Difference from standard to all trac wheels 300/60X12	782,00	
4	5	1	2	0	2	2	5	Winter protection (front wind+screenwiper)	836,00	
4	5	1	2	0	0	0	9	Cabin with heating system	5.374,00	
4	5	1	2	0	0	4	3	3 sides glass cabin	2.781,00	
4	5	1	2	0	0	4	9	Heating system	1.226,00	
4	5	1	2	0	3	3	5	Trailer coupling (automotive), towing capacity about 1000 Kg	439,00	
4	5	1	2	0	1	7	6	Comfort seat	239,00	
4	5	1	2	0	1	4	2	Comfort heated seat	456,00	
4	5	1	2	0	3	0	0	Ergonomic seat with headrest and armrest	449,00	
4	5	1	2	0	3	3	4	Right armrest of the seat	83,00	
4	5	1	2	0	2	2	0	Front auxiliary electric outlet 165 W	379,00	
4	5	1	2	0	3	4	0	Side safety protection	579,00	
4	5	1	2	0	1	6	2	Wheel spacers for snow chains (for 4 wheels)	435,00	
4	5	1	2	0	2	3	4	Pair snowchains + wheel spacers 23X8.50-12	569,00	
4	5	1	2	0	2	1	0	Quick coupling system "MULTIFASTER" ® Part fixed on the machine	672,00	
4	5	1	2	0	2	1	1	Quick coupling system "MULTIFASTER" ® Part for the attachments	341,00	
4	5	1	2	0	0	1	4	Difference from traction battery to lithium battery	8.092,00	
4	5	1	2	0	0	4	2	Difference from traction battery to maintenance-free dry battery	457,00	
4	5	1	2	0	3	6	5	LED light	1.572,00	
4	5	1	2	0	3	6	7	Blue spot light	120,00	

**LIFTING CAPACITY**

□ 1300 Kg [B] (with counterweights)

**BOOM HEIGHT**

□ 2980 mm


**ENGINE POWER**

□ 25 HP

**HYDRAULIC SYSTEM**


□ 42 l/min






### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension



	BALLAST (200 kg)	NO BALLAST
<b>A</b>	950 Kg	800 Kg
<b>B</b>	1300 Kg	1100 Kg
<b>C</b>	860 Kg	550 Kg
<b>D</b>	800 Kg	600 Kg
<b>E</b>	500 Kg	300 Kg



☐ STANDARD SET-UP

Engine	Kubota D 1105
Power Hp / Kw	25 / 18,6
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Selflevelling	Standard
Hydraulic system l/min	42
Joystick	5- function
12 V power outlet + front auxiliary electric outlet (165 W)	Standard
Working LED lights (2 front + 1 rear)	Standard
Adjustable ergonomic seat with belts	Standard
"UNIVERSAL" coupling plate	Standard
Metal hoods	Standard
ROPS+FOPS protection	Standard
Telescopic boom	Standard
Silent block	Standard
Tractor wheels	23x10.50-12
Weight Kg	1315

☐ CODE WITH STANDARD SET-UP

PRICE €

P	8	2	5	0	0	0	1	M	1
---	---	---	---	---	---	---	---	---	---

31.504,00

☐ MORE DATA

Tipping load in transport position (Kg)	950 [A]
Max pulling force (Kg)	800 @ 23x8.50-12
Breakout force with boom down (Kg)	980
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	12
Engine oil tank capacity (L)	5,1
Hydraulic oil tank capacity (L)	29

☐ WHEELS

**SKID**  
23x8.50-12  
26x12.00-12  
5.70-12



**ALL TRAC**  
8PR  
300/60X12



**TRACTOR**  
23x8.50-12  
23x10.50-12  
26x12.00-12  
7.00-12



**TURF**  
23x8.50-12  
23x10.50-12  
24x13.00-12  
26x12.00-12  
26.5x14.00-12

☐ OPTIONS

PRICE €

4	5	1	2	0	2	1	6	M	1	Electric floating system	350,00
4	5	1	2	0	2	1	7			Driving lights	1.240,00
4	5	1	2	0	2	3	9			Difference for high power Working LED lights (2 front + 1 rear)	348,00
4	5	1	2	0	2	4	1			Rear-view mirrors	175,00
4	5	1	2	0	0	0	4			Rear counterweights(100kg)	793,00
4	5	1	2	0	0	0	3			Rear counterweights (210kg)	1.577,00
4	5	1	2	0	0	4	6			Trailer coupling S/Type + rear counterweights (100kg)	850,00
4	5	1	2	0	0	4	7			Trailer coupling L/Type + rear counterweights (210kg)	1.927,00
4	5	1	2	0	2	3	7			Trailer coupling S/Type	279,00
4	5	1	2	0	0	0	1			Trailer coupling L/Type	350,00
4	5	1	2	0	1	8	5			Difference from standard to turf wheels 23x10.50-12	191,00
4	5	1	2	0	2	5	8			Difference from standard to turf wheels 26x12.00-12	540,00
4	5	1	2	0	3	9	9			Difference from standard to turf wheels 24x13.00-12	1.155,00
4	5	1	2	0	2	5	9			Difference from standard to skid wheels 26x12.00-12	777,00
4	5	1	2	0	2	3	0			Difference from standard to skid wheels 23x8.50-12	621,00
4	5	1	2	0	2	6	8			Difference from standard to tractor wheels 7.00-12	621,00
4	5	1	2	0	0	2	9			Difference from standard to skid wheels 5.70-12	367,00
4	5	1	2	0	2	3	5			Difference from standard to tractor wheels 26x12.00-12	530,00
4	5	1	2	0	2	7	5			Difference from standard to trac master wheels 300/60X12	596,00
4	5	1	2	0	2	2	5			Winter protection (front wind+screenwiper)	836,00
4	5	1	2	0	3	5	3			Reverse alarm	225,00
4	5	1	2	0	2	1	8			Cabin with heating system	5.374,00
4	5	1	2	0	3	2	8			Heating system	1.115,00
4	5	1	2	0	0	4	3			3 sides glass cabin	2.781,00
4	5	1	2	0	2	3	2			Pre-heating of engine's water	358,00
4	5	1	2	0	1	7	6			Comfort seat	239,00
4	5	1	2	0	1	4	2			Comfort heated seat	456,00
4	5	1	2	0	3	0	0			Ergonomic seat with headrest and armrest	449,00
4	5	1	2	0	3	3	4			Right armrest of the seat	83,00
4	5	1	2	0	2	2	1	M	1	High power wheel motor 400 cc.	543,00
4	5	1	2	0	2	3	3	M	1	Difference from 5- function joystick to 7- function joystick	957,00
4	5	1	2	0	2	2	2			Difference from 5- function joystick to 11- function joystick	1.673,00
4	5	1	2	0	0	1	2			Dual hydraulic function for boom lift + telescopic (includes 11- function)	1.673,00
4	5	1	2	0	0	1	6			Dual hydraulic function for boom lift + hydraulic outlets (including 11- function)	1.652,00
4	5	1	2	0	3	4	0			Side safety protection	579,00
4	5	1	2	0	1	6	2			Wheel spacers for snow chains (for 4 wheels)	435,00
4	5	1	2	0	1	9	9			Pair snowchains + wheel spacers 23X10.50-12	768,00
4	5	1	2	0	2	1	0			Quick coupling system "MULTIFASTER" ® Part fixed on the machine	672,00
4	5	1	2	0	2	1	1			Quick coupling system "MULTIFASTER" ® Part for the attachments	341,00

**LIFTING CAPACITY**

□ 1300 Kg [B] (with counterweights)

**BOOM HEIGHT**

□ 2980 mm


**ENGINE POWER**

□ 26 HP

**HYDRAULIC SYSTEM**


□ 46 l/min






## TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension



	BALLAST (200 kg)	NO BALLAST
<b>A</b>	950 Kg	800 Kg
<b>B</b>	1300 Kg	1100 Kg
<b>C</b>	860 Kg	550 Kg
<b>D</b>	800 Kg	600 Kg
<b>E</b>	500 Kg	300 Kg



☐ STANDARD SET-UP

Engine	Kubota D 1305
Power Hp / Kw	26 / 18,6
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Selflevelling	Standard
Hydraulic system l/min	46
Joystick	11- function ergonomic joystick
12 V power outlet + front auxiliary electric outlet (165 W)	Standard
Working LED lights (2 front + 1 rear)	Standard
Comfort heated seat	Standard
"UNIVERSAL" coupling plate	Standard
Metal hoods	Standard
ROPS+FOPS protection	Standard
Telescopic boom	Standard
Silent block	Standard
Tractor wheels	26x12.00-12
Rear counterweights (100 Kg)	Standard
Weight Kg	1380
Special finishing with sable paint	Standard
Carbon Look dashboard	Standard

☐ CODE WITH STANDARD SET-UP

PRICE €

C	8	3	0	0	0	0	1	M	1
---	---	---	---	---	---	---	---	---	---

38.820,00

☐ MORE DATA

Tipping load in transport position (Kg)	950 [A]
Max pulling force (Kg)	800 @ 23x8.50-12
Breakout force with boom down (Kg)	980
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	16
Engine oil tank capacity (L)	5,7
Hydraulic oil tank capacity (L)	29

☐ WHEELS

**SKID**  
23x8.50-12  
26x12.00-12



**ALL TRAC**  
8PR  
300/60X12



**TRACTOR**  
23x8.50-12  
23x10.50-12  
26x12.00-12  
7.00-12



**TURF**  
23x8.50-12  
23x10.50-12  
24x13.00-12  
26x12.00-12  
26.5x14.00-12

☐ OPTIONS

PRICE €

4	5	1	2	0	2	1	6	M	1	Electric floating system	350,00
4	5	1	2	0	2	1	7			Driving lights	1.240,00
4	5	1	2	0	2	3	9			Difference for high power Working LED lights (2 front + 1 rear)	348,00
4	5	1	2	0	2	4	1			Rear-view mirrors	175,00
4	5	1	2	0	0	6	2			Rear counterweights (210kg)	1.577,00
4	5	1	2	0	0	4	6			Trailer coupling S/Type + rear counterweights(100kg)	850,00
4	5	1	2	0	0	4	7			Trailer coupling L/Type + rear counterweights(210kg)	1.927,00
4	5	1	2	0	2	3	7			Trailer coupling S/Type	279,00
4	5	1	2	0	0	0	1			Trailer coupling L/Type	350,00
4	5	1	2	0	2	6	0			Difference from standard to turf wheels 23x10.50-12	191,00
4	5	1	2	0	2	6	1			Difference from standard to turf wheels 26x12.00-12	268,00
4	5	1	2	0	2	6	2			Difference from standard to turf wheels 24x13.00-12	777,00
4	5	1	2	0	2	6	3			Difference from standard to skid wheels 26x12.00-12	960,00
4	5	1	2	0	2	6	6			Difference from standard to tractor wheels 23x10.50-12	191,00
4	5	1	2	0	2	6	4			Difference from standard to skid wheels 23x8.50-12	231,00
4	5	1	2	0	2	6	7			Difference from standard to tractor wheels 7.00-12	440,00
4	5	1	2	0	2	7	3			Difference from standard to trac master wheels 300/60X12	197,00
4	5	1	2	0	2	2	5			Winter protection (front wind+screenwiper)	836,00
4	5	1	2	0	3	3	4			Right armrest of the seat	83,00
4	5	1	2	0	3	5	3			Reverse alarm	225,00
4	5	1	2	0	2	1	8			Cabin with heating system	5.374,00
4	5	1	2	0	0	4	3			3 sides glass cabin	2.781,00
4	5	1	2	0	0	4	5			Heating system	1.226,00
4	5	1	2	0	2	3	2			Pre-heating of engine's water	358,00
4	5	1	2	0	2	2	1	M	1	High power wheel motor 400 cc.	543,00
4	5	1	2	0	3	4	0			Side safety protection	579,00
4	5	1	2	0	1	9	9			Pair snowchains + wheel spacers 23X10.50-12	768,00
4	5	1	2	0	2	1	0			Quick coupling system "MULTIFASTER" ® Part fixed on the machine	672,00
4	5	1	2	0	2	1	1			Quick coupling system "MULTIFASTER" ® Part for the attachments	341,00
4	5	1	2	0	0	1	7			Dual hydraulic function for boom lift + hydraulic outlets	237,00

**LIFTING CAPACITY**

□ 1300 Kg [B] (with counterweights)

**BOOM HEIGHT**

□ 2980 mm


**ENGINE POWER**

□ 26 HP

**HYDRAULIC SYSTEM**


□ 46 l/min






### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension



	BALLAST (200 kg)	NO BALLAST
<b>A</b>	950 Kg	800 Kg
<b>B</b>	1300 Kg	1100 Kg
<b>C</b>	860 Kg	550 Kg
<b>D</b>	800 Kg	600 Kg
<b>E</b>	500 Kg	300 Kg



☐ STANDARD SET-UP

Engine	Kubota D 1305
Power Hp / Kw	26 / 18,6
Hydrostatic transmission - 4WD	PoClain Dual Speed and anti-skid standard
Electric differential lock	Standard
Water cooling	Standard
Selflevelling	Standard
Hydraulic system l/min	46
Joystick	11- function joystick
12 V power outlet + front auxiliary electric outlet (165 W)	Standard
Working LED lights (2 front + 1 rear)	Standard
Comfort seat	Standard
"UNIVERSAL" coupling plate	Standard
Metal hoods side opening	Standard
ROPS+FOPS protection	Standard
Telescopic boom	Standard
Silent block	Standard
Tractor wheels	26x12.00-12
Weight Kg	1280

☐ CODE WITH STANDARD SET-UP

PRICE €

P	8	4	0	0	0	0	1
---	---	---	---	---	---	---	---

40.950,00

☐ MORE DATA

Tipping load in transport position with counterweights (Kg)	1100
Max pulling force (Kg)	920
Breakout force with boom down (Kg)	1200
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	20
Engine oil tank capacity (L)	5,7
Hydraulic oil tank capacity (L)	29

☐ WHEELS

**SKID**  
23x8.50-12  
26x12.00-12



**ALL TRAC**  
8PR  
300/60X12



**TRACTOR**  
23x8.50-12  
23x10.50-12  
26x12.00-12  
7.00-12



**TURF**  
23x8.50-12  
23x10.50-12  
24x13.00-12  
26x12.00-12  
26.5x14.00-12

☐ OPTIONS

## PRICE €

4	5	1	2	0	2	1	6	M	1	Electric floating system	350,00
4	5	1	2	0	2	1	7			Driving lights	1.240,00
4	5	1	2	0	2	3	9			Difference for high power Working LED lights (2 front + 1 rear)	348,00
4	5	1	2	0	2	4	1			Rear-view mirrors	175,00
4	5	1	2	0	4	0	8			Difference from standard to turf wheels 23x10.50-12	191,00
4	5	1	2	0	3	9	0			Difference from standard to turf wheels 26.5x14.00-12	788,00
4	5	1	2	0	2	6	1			Difference from standard to turf wheels 26x12.00-12	268,00
4	5	1	2	0	2	6	2			Difference from standard to turf wheels 24x13.00-12	777,00
4	5	1	2	0	2	6	3			Difference from standard to skid wheels 26x12.00-12	960,00
4	5	1	2	0	4	1	0			Difference from standard to skid wheels 23x8.50-12	231,00
4	5	1	2	0	2	6	7			Difference from standard to tractor wheels 7.00-12	440,00
4	5	1	2	0	4	0	9			Difference from standard to tractor wheels 23x10.50-12	191,00
4	5	1	2	0	2	7	3			Difference from standard to trac master wheels 300/60X12	197,00
4	5	1	2	0	2	2	5			Winter protection (front wind+screenwiper)	836,00
4	5	1	2	0	3	3	4			Right armrest of the seat	83,00
4	5	1	2	0	3	5	3			Reverse alarm	225,00
4	5	1	2	0	2	1	8			Cabin with heating system	5.374,00
4	5	1	2	0	0	4	3			3 sides glass cabin	2.781,00
4	5	1	2	0	0	4	5			Heating system	1.226,00
4	5	1	2	0	2	3	1			Pre-heating of engine's water	358,00
4	5	2	3	0	3	8	6			Radiator protection grille	799,00
4	5	1	2	0	3	4	0			Side safety protection	579,00
O	N	D	E	M	A	N	D			Pair snowchains + wheel spacers 26x12.00-12	On Demand
4	5	1	2	0	2	1	0			Quick coupling system "MULTIFASTER" ® Part fixed on the machine	672,00
4	5	1	2	0	2	1	1			Quick coupling system "MULTIFASTER" ® Part for the attachments	341,00
4	5	1	2	0	0	1	7			Dual hydraulic function for boom lift + hydraulic outlets	237,00
4	5	1	2	0	3	8	7			Rear counterweights (200kg)	1.577,00
4	5	1	2	0	3	8	8			Rear counterweights (100kg)	569,00
4	5	1	2	0	3	8	9			Trailer coupling	148,00

**LIFTING CAPACITY**

□ 1180 Kg [B] (with counterweights)

**BOOM HEIGHT**

□ 2945 mm


**ENGINE POWER**

□ 25 HP

**HYDRAULIC SYSTEM**



□ 46 l/min






### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension

				
	BALLAST (200 kg)	NO BALLAST	BALLAST (200 kg)	NO BALLAST
<b>A</b>	1000 Kg	806 Kg	700 Kg	588 Kg
<b>B</b>	1180 Kg	990 Kg	860 Kg	720 Kg
<b>C</b>	840 Kg	705 Kg	610 Kg	512 Kg
<b>D</b>	760 Kg	640 Kg	550 Kg	460 Kg
<b>E</b>	620 Kg	520 Kg	450 Kg	380 Kg



☐ STANDARD SET-UP

Engine	Yanmar 3TNV76
Power Hp / Kw	25 / 18,5
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Hydraulic system l/min	46
Joystick	5- function
12 V power outlet	Standard
Adjustable ergonomic seat with belts	Standard
"UNIVERSAL" coupling plate	Standard
Metal hoods	Standard
ROPS+FOPS protection	Standard
Telescopic boom	Standard
Tractor wheels	23x10.50-12
Weight Kg	1230

☐ CODE WITH STANDARD SET-UP

PRICE €

P	2	8	1	2	0	0	0	1	M	1
---	---	---	---	---	---	---	---	---	---	---

30.270,00

☐ MORE DATA

Tipping load in transport position (Kg)	1100 [A]
Max pulling force (Kg)	660 @ 26x12.00-12
Breakout force with boom down (Kg)	900
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	12
Yanmar 3TNV76 Engine oil tank capacity (L)	4,2
Kubota D1105 Engine oil tank capacity (L)	5,1
Hydraulic oil tank capacity (L)	30

☐ WHEELS

**SKID**  
23x8.50-12  
23x10.50-12  
26x12.00-12



**ALL TRAC**  
8PR  
300/60X12



**TRACTOR**  
23x8.50-12  
23x10.50-12  
26x12.00-12



**TURF**  
23x8.50-12  
23x10.50-12  
24x13.00-12  
26x12.00-12

☐ OPTIONS

## PRICE €

4	5	1	2	0	1	7	0	Hydraulic rear outlets	1.812,00
4	5	1	2	0	0	3	5	Hydraulic rear 3 point set-up for lifter	568,00
4	5	1	2	0	1	7	1	Electric floating system	350,00
4	5	1	2	0	1	9	2	Hydraulic Self-levelling	1.711,00
4	5	1	2	0	1	9	3	LED working lights (2 front+1 rear)	698,00
4	5	1	2	0	2	4	0	High power LED working lights (2 front+1 rear)	872,00
4	5	1	2	0	1	7	2	Driving lights	1.240,00
4	5	1	2	0	2	4	1	Rear-view mirrors	175,00
4	5	1	2	0	1	0	5	Rear counterweights (100 Kg)	865,00
4	5	1	2	0	1	7	3M	Integrated counterweights (95 Kg)	328,00
4	5	1	2	0	2	4	3	Rear counterweights (210 Kg) - Trailer coupling (automotive) cod. 45120133 not compatible	1.577,00
4	5	1	2	0	1	7	4	Insulated rear hood	540,00
4	5	1	2	0	3	1	8	Difference from standard tyres to tractor wheels 23x8.50-12	591,00
4	5	1	2	0	1	8	5	Difference from standard to turf wheels 23x10.50-12	191,00
4	5	1	2	0	1	0	8	Difference from standard to turf wheels 26x12.00-12	507,00
4	5	1	2	0	1	8	8	Difference from standard to turf wheels 24x13.00-12	1.155,00
4	5	1	2	0	1	2	0	Difference from standard to tractor wheels 26x12.00-12	441,00
4	5	1	2	0	1	8	9	Difference from standard to skid wheels 26x12.00-12	1.020,00
4	5	1	2	0	2	1	2	Difference from standard to turf wheels 26.50x14.00-12 only with MTK wheel motor	1.142,00
4	5	1	2	0	2	7	2	Difference from standard to all trac wheels 300/60X12	561,00
4	5	1	2	0	1	0	7	Extra cost for 2 gel filled-wheels (only 26x12.00-12)	761,00
4	5	1	2	0	1	7	5	Winter protection (front wind+screenwiper)	836,00
4	5	1	2	0	1	8	6M	Cabin with heating system for YANMAR engine	5.374,00
4	5	1	2	0	3	2	7M	Heating system only for YANMAR engine	1.115,00
4	5	1	2	0	2	3	2	Pre-heating of engine water	358,00
4	5	1	2	0	1	3	3	Trailer coupling for 100 Kg rear counterweights	330,00
4	5	1	2	0	1	7	6	Comfort seat	239,00
4	5	1	2	0	1	4	2	Comfort heated seat	456,00
4	5	1	2	0	3	0	0	Ergonomic seat with headrest and armrest	449,00
4	5	1	2	0	3	4	1	Adjustable right armrest in soft rubber	237,00
4	5	1	2	0	1	3	9	Front auxiliary electric outlet (165 W)	380,00
4	5	1	2	0	2	8	0M	Difference from standard wheel motors to Poclain single speed wheel motors	1.807,00
4	5	1	2	0	1	7	9	Dual hydraulic function for boom lift + telescopic (includes 11 function)	1.673,00
4	5	1	2	0	3	1	3	Side safety protection	579,00
4	5	1	2	0	1	9	9	Pair snowchains + wheel spacers 23X10.50-12	768,00
4	5	1	2	0	1	6	2	Wheel spacers for snow chains (for 4 wheels)	435,00
4	5	1	2	0	2	1	0	Quick coupling system "MULTIFASTER" ® Part fixed on the machine	672,00
4	5	1	2	0	2	1	1	Quick coupling system "MULTIFASTER" ® Part for the attachments	340,00
4	5	1	2	0	1	8	1	Rear auxiliary electric outlet (165 W)	380,00
4	5	1	2	0	3	5	6	Radiator protection grid	799,00
4	5	1	2	0	2	9	3	Trailer coupling for 200 Kg rear counterweights	345,00
4	5	1	2	0	0	2	4	Dual hydraulic function for boom lift + hydraulic outlets (includes 11- function)	1.652,00
4	5	1	2	0	0	1	3	Lockable fuel cap	31,00
4	5	1	2	0	0	5	3	Predisposition for road omologation (no Italy)	210,00
4	5	1	2	1	0	2	2	13 Pin Socket	169,00
4	5	1	2	0	0	8	8	Difference for Wheel motor M+S 400cc from M+S 315cc	543,00
4	5	1	2	0	0	8	9	Difference for Poclain single speed wheel motor from M+S 315cc (Yanmar 3TNV76 engine)	1.609,00
4	5	1	2	0	0	8	5	Difference for Kubota D1105 engine	800,00
4	5	1	2	0	3	9	8	Adaptor for heating on machine with Kubota Engine.	On Demand

**LIFTING CAPACITY**

□ 1180 Kg [B] (with counterweights)

**BOOM HEIGHT**

□ 2945 mm


**ENGINE POWER**

□ 25 HP

**HYDRAULIC SYSTEM**



□ 47 l/min






### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension

				
	BALLAST (200 kg)	NO BALLAST	BALLAST (200 kg)	NO BALLAST
<b>A</b>	1000 Kg	806 Kg	700 Kg	588 Kg
<b>B</b>	1180 Kg	990 Kg	860 Kg	720 Kg
<b>C</b>	840 Kg	705 Kg	610 Kg	512 Kg
<b>D</b>	760 Kg	640 Kg	550 Kg	460 Kg
<b>E</b>	620 Kg	520 Kg	450 Kg	380 Kg



☐ STANDARD SET-UP

Engine	Yanmar 3TNV80
Power Hp / Kw	25 / 18,5
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Hydraulic selflevelling	Standard
Hydraulic system l/min	47
Joystick	5- function
12 V power outlet + 165 W front auxiliary electric outlet	Standard
Working LED lights (2 front + 1 rear)	Standard
Adjustable ergonomic seat with belts	Standard
"UNIVERSAL" coupling plate	Standard
Metal hoods	Standard
ROPS+FOPS protection	Standard
Telescopic boom	Standard
Tractor wheels	26x12.00-12
Weight Kg	1170

☐ CODE WITH STANDARD SET-UP

PRICE €

32.342,00

P	3	0	1	2	0	0	0	1	M	1
---	---	---	---	---	---	---	---	---	---	---

☐ MORE DATA

Tipping load in transport position (Kg)	1100 [A]
Max pulling force (Kg)	660 @ 26x12.00-12
Breakout force with boom down (Kg)	900
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	14
Yanmar 3TNV80 engine oil tank capacity (L)	4,2
Kubota D1105 engine oil tank capacity (L)	5,1
Hydraulic oil tank capacity (L)	30

☐ WHEELS

**SKID**  
23x8.50-12  
23x10.50-12  
26x12.00-12



**ALL TRAC**  
8PR  
300/60X12



**TRACTOR**  
23x8.50-12  
23x10.50-12  
26x12.00-12



**TURF**  
23x8.50-12  
23x10.50-12  
24x13.00-12  
26x12.00-12

	OPTIONS								PRICE €
4	5	1	2	0	1	7	0	Hydraulic rear outlets	1.812,00
4	5	1	2	0	0	3	5	Hydraulic rear 3 point set-up for lifter	568,00
4	5	1	2	0	1	7	1	Electric floating system	350,00
4	5	1	2	0	0	7	2M	Difference for Kubota D1105 and Poclain Wheel Motor single speed "High Power"	3.251,00
4	5	1	2	0	0	9	6	Difference for Poclain Wheel Motor single speed "High Power" (With Yanmar 3TNV80)	2.451,00
4	5	1	2	0	2	8	1M	Difference for Kubota D1105 and Poclain Wheel Motor dual speed	4.741,00
4	5	1	2	0	0	9	7	Difference for Poclain Wheel Motor dual speed (With Yanmar 3TNV80)	3.941,00
4	5	1	2	0	1	9	8	Difference for Kubota D1105 and Poclain Wheel Motor single speed	2.409,00
4	5	1	2	0	1	9	7	Difference from standard wheel motor to Poclain single speed (with Yanmar 3TNV80)	1.609,00
4	5	1	2	0	2	3	6	Difference for high power LED working lights (2 front+1 rear)	175,00
4	5	1	2	0	1	7	2	Driving lights	1.240,00
4	5	1	2	0	2	4	1	Rear-view mirrors	175,00
4	5	1	2	0	1	0	5	Rear counterweights (100 Kg)	865,00
4	5	1	2	0	1	7	3M	Integrated counterweights (95 Kg)	328,00
4	5	1	2	0	2	4	3	Rear counterweights (210 Kg) - Trailer coupling (automotive) cod. 45120133 not compatible	1.577,00
4	5	1	2	0	1	7	4	Insulated rear hood	540,00
4	5	1	2	0	3	1	9	Difference from standard to tractor wheels 23x8.50-12	578,00
4	5	1	2	0	2	2	7	Difference from standard to turf wheels 26x12.00-12	268,00
4	5	1	2	0	1	8	7	Difference from standard to turf wheels 24x13.00-12	777,00
4	5	1	2	0	2	6	3	Difference from standard to skid wheels 26x12.00-12	960,00
4	5	1	2	0	2	2	9	Difference from standard to tractor wheels 23x10.50-12	180,00
4	5	1	2	0	1	9	1	Difference from standard to turf wheels 23x10.50-12	180,00
4	5	1	2	0	2	1	4	Difference from standard to turf wheels 26.50x14.00-12 only with Poclain Wheel Motor	787,00
4	5	1	2	0	2	7	3	Difference from standard to all trac wheels 300/60X12	197,00
4	5	1	2	0	1	0	7	Extra cost for 2 gel filled-wheels (only 26x12.00-12)	761,00
4	5	1	2	0	1	7	5	Winter protection (front wind+screenwiper)	836,00
4	5	1	2	0	1	8	6M	Cabin with heating system for YANMAR engine	5.374,00
4	5	1	2	0	3	2	7M	Heating system only for YANMAR engine	1.115,00
4	5	1	2	0	3	6	0	Heating system (Only for 30T Carbon)	1.115,00
4	5	1	2	0	2	3	2	Pre-heating of engine water	358,00
4	5	1	2	0	1	3	3	Trailer coupling for 100 Kg rear counterweights	330,00
4	5	1	2	0	1	7	6	Comfort seat	239,00
4	5	1	2	0	1	4	2	Comfort heated seat	456,00
4	5	1	2	0	3	0	0	Ergonomic seat with headrest and armrest	449,00
4	5	1	2	0	3	4	1	Adjustable right armrest in soft rubber	237,00
4	5	1	2	0	1	7	9	Dual hydraulic function for boom lift + telescopic (includes 11 function)	1.673,00
4	5	1	2	0	3	1	3	Side safety protection	579,00
4	5	1	2	0	1	9	9	Pair snowchains + wheel spacers 23x10.50-12	768,00
4	5	1	2	0	1	6	2	Wheel spacers for snow chains (for 4 wheels)	435,00
4	5	1	2	0	2	1	0	Quick coupling system "MULTIFASTER" ® Part fixed on the machine	672,00
4	5	1	2	0	2	1	1	Quick coupling system "MULTIFASTER" ® Part for the attachments	341,00
4	5	1	2	0	1	8	1	Rear auxiliary electric outlet (165 W)	380,00
4	5	1	2	0	3	5	6	Radiator protection grid	799,00
4	5	1	2	0	2	9	3	Trailer coupling for 200 Kg rear counterweights	345,00
4	5	1	2	0	0	2	4	Dual hydraulic function for boom lift + hydraulic outlets (includes 11- function)	1.652,00
4	5	1	2	0	0	1	3	Lockable fuel cap	31,00
4	5	1	2	0	0	5	3	Predisposition for road omologation (no Italy)	210,00
4	5	1	2	1	0	2	2	13 pin socket	169,00
4	5	1	2	0	1	9	5	Difference for Kubota D1105	800,00
4	5	1	2	0	0	9	5	Double independent front outlet + electronic distributor	2.100,00
4	5	1	2	0	3	9	8	Adaptor for heating on machine with Kubota Engine.	On Demand



#### LIFTING CAPACITY

□ 1180 Kg [B] (with counterweights)



#### BOOM HEIGHT

□ 2980 mm



#### ENGINE POWER


□ 25 HP



#### HYDRAULIC SYSTEM



□ 50 l/min






### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension

				
	<b>BALLAST (200 kg)</b>	<b>NO BALLAST</b>	<b>BALLAST (200 kg)</b>	<b>NO BALLAST</b>
<b>A</b>	1000 Kg	806 Kg	700 Kg	588 Kg
<b>B</b>	1180 Kg	990 Kg	860 Kg	720 Kg
<b>C</b>	840 Kg	705 Kg	610 Kg	512 Kg
<b>D</b>	760 Kg	640 Kg	550 Kg	460 Kg
<b>E</b>	620 Kg	520 Kg	450 Kg	380 Kg



☐ **STANDARD SET-UP**

Engine	Yanmar 3TNV80
Power Hp / Kw	25 / 18,5
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Hydraulic selflevelling	Standard
Hydraulic system l/min	50
Joystick	11- function
12 V power outlet + 165 W front auxiliary electric outlet	Standard
Working LED lights (2 front + 1 rear)	Standard
Adjustable ergonomic seat with belts + armrest	Standard
Poclair single speed	Standard
"UNIVERSAL" coupling plate	Standard
Metal hoods	Standard
ROPS+FOPS protection	Standard
Telescopic boom	Standard
Integrated counterweights 95 Kg	Standard
Tractor wheels	26x12.00-12
Weight Kg	1330

☐ **CODE WITH STANDARD SET-UP**
**PRICE €**

<b>P</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>L</b>	<b>X</b>	<b>M</b>	<b>1</b>
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

37.096,00

☐ **MORE DATA**

Tipping load in transport position (Kg)	1100 [A]
Max pulling force (Kg)	800 @ 26.5x14.00-12
Breakout force with boom down (Kg)	920
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	12
Yanmar 3TNV80 engine oil tank capacity (L)	4,2
Kubota D1305 engine oil tank capacity (L)	5,7
Hydraulic oil tank capacity (L)	30

☐ **WHEELS**


**SKID**  
23x8.50-12  
23x10.50-12  
26x12.00-12



**ALL TRAC**  
8PR  
300/60X12



**TRACTOR**  
23x8.50-12  
23x10.50-12  
26x12.00-12



**TURF**  
23x8.50-12  
23x10.50-12  
24x13.00-12  
26x12.00-12  
26.5x14.00-12

☐ OPTIONS

## PRICE €

4	5	1	2	0	1	7	0	Hydraulic rear outlets	1.812,00
4	5	1	2	0	0	3	5	Hydraulic rear 3 point set-up for lifter	568,00
4	5	1	2	0	1	7	1	Electric floating system	350,00
4	5	1	2	0	1	7	2	Driving lights	1.240,00
4	5	1	2	0	2	3	6	Difference for high power LED working lights (2 front+1 rear)	175,00
4	5	1	2	0	2	4	1	Rear-view mirrors	175,00
4	5	1	2	0	1	0	5	Rear counterweights (100 Kg)	865,00
4	5	1	2	0	2	4	3	Rear counterweights (210 Kg) - Trailer coupling (automotive) cod. 45120133 not compatible	1.577,00
4	5	1	2	0	1	7	4	Insulated rear hood	540,00
4	5	1	2	0	3	1	9	Difference from standard to tractor wheels 23x8.50-12	578,00
4	5	1	2	0	2	2	7	Difference from standard to turf wheels 26x12.00-12	268,00
4	5	1	2	0	1	8	7	Difference from standard to turf wheels 24x13.00-12	777,00
4	5	1	2	0	2	6	3	Difference from standard to skid wheels 26x12.00-12	960,00
4	5	1	2	0	2	2	9	Difference from standard to tractor wheels 23x10.50-12	180,00
4	5	1	2	0	1	9	1	Difference from standard to turf wheels 23x10.50-12	180,00
4	5	1	2	0	2	1	5	Difference from standard to turf wheels 26.50x14.00-12	788,00
4	5	1	2	0	2	7	3	Difference from standard to all trac wheels 300/60X12	197,00
4	5	1	2	0	1	0	7	Extra cost for 2 gel filled-wheels (only 26x12.00-12)	761,00
4	5	1	2	0	1	7	5	Winter protection (front wind+screenwiper)	836,00
4	5	1	2	0	1	8	6M	Cabin with heating system for YANMAR engine (only for 33TLX)	5.374,00
4	5	1	2	0	3	4	9M	Cabin with heating system for YANMAR engine (only for 33TLX Carbon)	5.374,00
4	5	1	2	0	3	2	7M	Heating system for YANMAR engine (only for 33TLX)	1.115,00
4	5	1	2	0	3	6	0M	Heating system for YANMAR engine (only for 33TLX Carbon)	1.115,00
4	5	1	2	0	2	3	2	Pre-heating of engine water	358,00
4	5	1	2	0	1	3	3	Trailer coupling for 100 Kg rear counterweights	330,00
4	5	1	2	0	2	5	5	Comfort heated seat	456,00
4	5	1	2	0	3	4	1	Adjustable right armrest in soft rubber	237,00
4	5	1	2	0	3	1	3	Side safety protection	579,00
4	5	1	2	0	1	9	9	Pair snow-chains+ wheel spacers 23x10.50-12	768,00
4	5	1	2	0	1	6	2	Wheel spacers for snow chains (for 4 wheels)	435,00
4	5	1	2	0	2	1	0	Quick coupling system "MULTIFASTER" ® Part fixed on the machine	672,00
4	5	1	2	0	2	1	1	Quick coupling system "MULTIFASTER" ® Part for the attachments	341,00
4	5	1	2	0	1	8	1	Rear auxiliary electric outlet (165 W)	380,00
4	5	1	2	0	3	5	6	Radiator protection grid	799,00
4	5	1	2	0	2	9	3	Trailer coupling for 200 Kg rear counterweights	345,00
4	5	1	2	0	0	0	2	Dual hydraulic function for boom lift + hydraulic outlets	237,00
4	5	1	2	0	0	1	3	Lockable fuel cap	31,00
4	5	1	2	0	0	5	3	Predisposition for road omologation (no Italy)	210,00
4	5	1	2	1	0	2	2	13 pin socket	169,00
4	5	1	2	0	0	7	1M	Difference for Kubota engine D1305 and Poclain Wheel Motor single speed "High Power"	1.944,00
4	5	1	2	0	0	8	7	Difference for Poclain single speed "High Power" (with Yanmar 3TNV80)	1.200,00
4	5	1	2	0	0	8	6	Difference for Kubota engine D1305	800,00
4	5	1	2	0	3	9	8	Adaptor for heating on machine with Kubota Engine.	On Demand

The CARBON series is characterized by the “Carbon-Look” finishing of the dashboard which give the machine greater sportiness and more aggressive configuration. Some details are made with “sabl ” paint that protects more the surfaces and at the same time gives greater emphasis on the aesthetic level. The latest-generation ergonomic joystick is standard on all Carbon line models. The options available are the same as those for basic models.


33TL<sub>cx</sub> CARBON

POCLAIN DUAL SPEED

- Carbon Look dashboard
- Ergonomic and design 11- function joystick
- Comfort heated seat
- Integrated counterweights 95 Kg
- Speed 9-20 Km/h @ 26x12.00-12 (Poclain)
- Special finishing with sabl  paint
- New layout

CODE FOR 33TLX CARBON													PRICE €
C	3	3	1	2	0	0	0	1	L	X	M	1	40.507,00
4	5	1	2	0	0	2	5	Dual hydraulic function for boom lift + hydraulic outlet					295,00
4	5	1	2	0	3	7	5	Difference for Poclain dual speed “High Power” wheel motors					621,00
4	5	1	2	0	3	7	6	Difference for Kubota D1305 + Poclain dual speed “High Power”					1.421,00

The Carbon Line models are equipped with our latest ergonomic 11- function joystick, the controls are easily accessible and the advanced ergonomic design makes the joystick extremely comfortable to use. The joystick has been designed to meet the needs of the most demanding operators, helping improve productivity and lessen operational fatigue making operations safer and increasing productivity.





This model features a three-spoke steering wheel in a dark grey finish carefully chosen to co-ordinate with the strong sable colour scheme and the exclusive new "Carbon" finish and graphics. The comfort seat is complete with armrests and 33TLX version even features a heated seat.



# FOREST LINE

---

The FOREST line is recognizable by the particular graphic design with a "camouflage" motif.  
These models have been conceived to work in the forestry sector thanks also to the radiator protection grid and the powerful Poclain wheel motors.

## **30T** FOREST POCLAIN SINGLE SPEED

Radiator protection grid  
Speed 12 Km/h @ 26x12.00-12 (Poclain)  
Integral finishes with sablé paint  
New "camouflage" graphic design

☐ CODE FOR 30T FOREST SINGLE

PRICE €

P	3	0	1	2	0	0	0	1	M	1
---	---	---	---	---	---	---	---	---	---	---

35.084,00

4	5	1	2	0	0	0	7	M	1
---	---	---	---	---	---	---	---	---	---

4	5	1	2	0	1	9	7
---	---	---	---	---	---	---	---

## **30T** FOREST POCLAIN DUAL SPEED

Radiator protection grid  
Speed 9-20 Km/h @ 26x12.00-12 (Poclain)  
Integral finishes with sablé paint  
New "camouflage" graphic design

☐ CODE FOR 30T FOREST DUAL

PRICE €

P	3	0	1	2	0	0	0	1	M	1
---	---	---	---	---	---	---	---	---	---	---

37.416,00

4	5	1	2	0	0	0	8	M	1
---	---	---	---	---	---	---	---	---	---

4	5	1	2	0	0	9	7
---	---	---	---	---	---	---	---

For further options see page 27.

---



Poclain "high performance" hydraulic wheel motors are by far the best and most reliable on the market and are standard on the FOREST models.

# FOREST LINE



The cab with three-speed heating system is available as an option. It is built with a sturdy high-strength steel frame and tempered glass. The practical lateral glass compass-opening favors a regular exchange of air inside. The soundproofed cabin guarantees excellent comfort.



The models of the FOREST line are equipped with a sturdy high-strength steel grid for the protection of the radiator, fixed on the rear part of the frame. The grid protects against impacts caused by contact with animals, logs and branches. The lamellar system of the structure was designed to facilitate the ventilation necessary for cooling the radiator.



**LIFTING CAPACITY**

□ 2000 Kg [B] (with counterweights)

**BOOM HEIGHT**

□ 3300 mm


**ENGINE POWER**

□ 38 HP

**HYDRAULIC SYSTEM**



□ 66 l/min






### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension

				
	BALLAST (200 kg)	NO BALLAST	BALLAST (200 kg)	NO BALLAST
<b>A</b>	1500 Kg	1300 Kg	1350 Kg	1000 Kg
<b>B</b>	2000 Kg	1650 Kg	1750 Kg	1300 Kg
<b>C</b>	900 Kg	800 Kg	600 Kg	550 Kg
<b>D</b>	1000 Kg	900 Kg	700 Kg	650 Kg
<b>E</b>	600 Kg	520 Kg	400 Kg	400 Kg



☐ STANDARD SET-UP

Engine	Yanmar Stage V
Power HP/Kw	38/28,3
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Double cylinder hydraulic selflevelling	Standard
Hydraulic system l/min	66
Articulated chassis with 4 steering wheels	Standard
Joystick	11- function
12 V power outlet + 165 W front auxiliary electric outlet	Standard
Working LED lights (2 front + 1 rear)	Standard
Digital dashboard with acoustic warnings signals	Standard
Ergonomic seat + headrest and armrest+safety belts	Standard
Roof with sunshade	Standard
"UNIVERSAL" coupling plate	Standard
Front and rear metal hoods	Standard
ROPS/FOPS protection	Standard
Telescopic boom	Standard
Tractor wheels	29x12.50-15
Weight Kg	1915

☐ CODE WITH STANDARD SET-UP

PRICE €

G	4	0	2	0	0	0	0	1	M	1
---	---	---	---	---	---	---	---	---	---	---

49.410,00

☐ MORE DATA

Tipping load in transport position (Kg)	1500 [A]
Max pulling force (Kg)	1260 @ 29x12.50-15
Breakout force with boom down (Kg)	1500
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	16
Engine oil tank capacity (L)	6,7
Hydraulic oil tank capacity (L)	70

☐ WHEELS

**ALL TRAC**  
31x15.50-15



**TRACTOR**  
29x12.50-15  
31x15.50-15 offset 55



**TURF**  
29x12.50-15  
31x15.50-15

☐ OPTIONS

## PRICE €

4	5	1	2	0	3	5	5	Electric floating system	462,00
4	5	1	2	0	0	3	2	Anti-skid	1.125,00
4	5	1	2	0	1	4	7	Rear 3 point set-up for lifter (double flow)	962,00
4	5	1	2	0	1	2	8M	Driving lights	1.240,00
4	5	1	2	0	1	4	4	Independent rear-outlet + 15- function joystick	1.581,00
4	5	1	2	0	3	3	7	Rear-counterweights (Kg 210) + integrated counterweights (Kg 130)	2.391,00
4	5	1	2	0	1	2	9	Integrated counterweights (Kg 150)	793,00
4	5	1	2	0	2	9	3	Trailer coupling for 210 Kg rear counterweights	345,00
4	5	1	2	0	0	4	0	Quick coupling system "MULTIFASTER" @ Part fixed on the machine	482,00
4	5	1	2	0	2	1	1	Quick coupling system "MULTIFASTER" @ Part for the attachments	341,00
4	5	1	2	0	0	1	0	Cabin with heating system and rear-view mirrors	6.967,00
4	5	1	2	0	1	5	1	Heated fabric seat	507,00
4	5	1	2	0	3	4	6	Mechanical suspension for adjustable ergonomic seat	405,00
4	5	1	2	0	3	5	1	Cabin with air conditioning and heating system	8.768,00
4	5	1	2	0	3	3	2	Pre-heating of engine's water	870,00
4	5	1	2	0	3	0	2	Rear auxiliary electric outlet (165 W)	380,00
4	5	1	2	0	3	3	8	Difference from 4 standard wheel motors to 4 "HIGH POWER" wheel motors	1.551,00
4	5	1	2	0	3	1	2	Difference from standard to turf wheels 29x12.5-15	650,00
4	5	1	2	0	0	2	6	Difference from standard to turf wheels 31x15.50-15	672,00
4	5	1	2	0	3	4	4	Difference from standard to tractor wheels 31x15.50-15 offset 55	1.162,00
4	5	1	2	0	0	2	7	Difference from standard to all trac wheels 31x15.50-15	397,00
4	5	1	2	0	0	2	0	Difference from standard to "All Black" version	520,00
4	5	1	2	0	0	4	1	Cylinders with anti-fall valve	367,00
4	5	1	2	0	3	6	8M	Windscreen with wiper	658,00
4	5	1	2	0	3	7	9	Straßenzulassung	On demand
4	5	1	2	0	3	8	0	Vorbereitung für die Straßenzulassung	



#### LIFTING CAPACITY

□ 2100 Kg [B] (with counterweights)



#### BOOM HEIGHT

□ 3300 mm



#### ENGINE POWER


□ 57 HP



#### HYDRAULIC SYSTEM



□ 80 l/min






### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension

		
	<b>BALLAST (400 kg)</b>	<b>BALLAST (400 kg)</b>
<b>A</b>	1800 Kg	1500 Kg
<b>B</b>	2100 Kg	1700 Kg
<b>C</b>	1700 Kg	1500 Kg
<b>D</b>	1800 Kg	1300 Kg
<b>E</b>	1400 Kg	900 Kg



☐ **STANDARD SET-UP**

Engine	Kohler KDI 1903TCR / STAGE V
Power Kw	42 @ 2600 RPM
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Double cylinder hydraulic selflevelling	Standard
Hydraulic system l/min	80
Joystick	11- function
12 V power outlet + 165 W front auxiliary electric outlet	Standard
Working LED lights (2 front + 1 rear)	Standard
Digital dashboard	Standard
Adjustable ergonomic seat with belts and armrest	Standard
Poclain single speed wheel motors	Standard
Metal hood (front)	Standard
Integrated counterweights 185 Kg	Standard
Tractor wheels	31x15.50-15
Dimensions mm	3153x1500x2138
Weight Kg	2610

☐ **CODE WITH STANDARD SET-UP**
**PRICE €**

<b>P</b>	<b>5</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

57.358,00

☐ **MORE DATA**

Tipping load in transport position (Kg)	1800 [A]
Max pulling force (Kg)	1100 @ 31x15.50-15
Breakout force with boom down (Kg)	2600
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	18
Engine oil tank capacity (L)	8,9
Hydraulic oil tank capacity (L)	80

☐ **WHEELS**

**SKID**  
 31x15.50-15

**ALL TRAC**  
 31x15.50-15  
 33x15.50-15

**TRACTOR**  
 33x15.50-15

**TURF**  
 29x12.50-15  
 31x15.50-15

<input type="checkbox"/> OPTIONS										PRICE €
4	5	1	2	0	2	8	3		Electric floating system	462,00
4	5	1	2	0	2	8	4	M	Rear 3 point set-up for lifter (double flow)	962,00
4	5	1	2	0	0	2	1		Independent dual front outlets	1.581,00
4	5	1	2	0	0	1	8		Simultaneous dual front and rear outlets	1.854,00
4	5	1	2	0	2	8	8		Driving lights	1.240,00
4	5	1	2	0	3	4	8		Difference for Independent rear-outlet + 15- function joystick	1.581,00
4	5	1	2	0	2	9	0		Difference from 11- function joystick to 11- function ergonomic joystick	416,00
4	5	1	2	0	2	9	1		Rear-counterweights 250 Kg (210 Kg if associated to trailer coupling)	1.711,00
4	5	1	2	0	0	6	6		Rear-counterweights 210 Kg	1.577,00
4	5	1	2	0	2	9	3		Trailer coupling for 210 Kg rear counterweights	345,00
4	5	1	2	0	2	9	4		Winter protection (front windscreen+screenwiper)	1.066,00
4	5	1	2	0	0	2	3		Cabin with heating system	6.365,00
4	5	1	2	0	2	9	6		Heating system	1.350,00
4	5	1	2	0	3	5	0		Cabin with air conditioning and heating system	8.768,00
4	5	1	2	0	2	9	7		Kit of three rear-view mirrors	175,00
4	5	1	2	0	2	9	9		Heated fabric seat	464,00
4	5	1	2	0	3	1	3		Side safety protection	579,00
4	5	1	2	0	3	0	2		Rear auxiliary electric outlet (165 W)	380,00
4	5	1	2	0	3	0	3		Quick coupling system "MULTIFASTER" ® Part fixed on the machine	672,00
4	5	1	2	0	2	1	1		Quick coupling system "MULTIFASTER" ® Part for the attachments	341,00
4	5	1	2	0	3	0	5		Soundproof rear hood	800,00
4	5	1	2	0	3	0	7		Difference from standard to skid wheels 31x15.50-15	800,00
4	5	1	2	0	3	1	5		Difference from standard to turf wheels 31x15.50-15	232,00
4	5	1	2	0	3	4	7		Difference from standard to all trac wheels 33x15.50-15	394,00
4	5	1	2	0	3	5	2		Difference from standard to all trac wheels 31x15,50-15	225,00
4	5	1	2	0	3	5	7		Radiator protection grid	1.083,00
4	5	1	2	0	0	3	3		Difference from standard to All Black (version with cabin), A/C and heating system	9.289,00
4	5	1	2	0	3	8	2		Difference from standard to All Black (version without cabin)	520,00
4	5	1	2	0	0	5	1		Cylinders with anti-fall valve	536,00
4	5	1	2	0	0	3	9		Predisposition for road omologation (no Italy)	1.746,00
4	5	1	2	0	3	9	7		13-pin socket for trailer/caravan	N.B.: can only be used with road lights 169,00

N.B.: can only be used with road lights



#### LIFTING CAPACITY

☐ 2100 Kg [B] (with counterweights)



#### BOOM HEIGHT

☐ 3300 mm



#### ENGINE POWER


☐ 57 HP



#### HYDRAULIC SYSTEM



☐ 80 l/min






### TIPPING LOAD

- A** Transport position
- B** Boom horizontal (without pallet fork)
- C** Boom horizontal
- D** Boom horizontal + extension
- E** Boom horizontal + extension

		
	<b>BALLAST (400 kg)</b>	<b>BALLAST (400 kg)</b>
<b>A</b>	1800 Kg	1500 Kg
<b>B</b>	2100 Kg	1700 Kg
<b>C</b>	1700 Kg	1500 Kg
<b>D</b>	1800 Kg	1300 Kg
<b>E</b>	1400 Kg	900 Kg



☐ **STANDARD SET-UP**

Engine	Kohler KDI 1903TCR / STAGE V
Power Kw	42 @ 2600 RPM
Hydrostatic transmission - 4WD	Standard
Electric differential lock	Standard
Water cooling	Standard
Double cylinder hydraulic selflevelling	Standard
Hydraulic system l/min	80
Joystick	11- function
12 V power outlet + 165 W front auxiliary electric outlet	Standard
Working LED lights (2 front + 1 rear)	Standard
Digital dashboard	Standard
Adjustable ergonomic seat with belts and armrest	Standard
Poclain dual speed wheel motors	Standard
Metal hood (front)	Standard
Integrated counterweights 185 Kg	Standard
Tractor wheels	31x15.50-15
Dimensions mm	3153x1500x2138
Weight Kg	2730

☐ **CODE WITH STANDARD SET-UP**
**PRICE €**

<b>P</b>	<b>5</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

61.946,00

☐ **MORE DATA**

Tipping load in transport position (Kg)	1800 [A]
Max pulling force (Kg)	1500-800 @ 31x15.50-15
Breakout force with boom down (Kg)	2600
Average sound power level (dB/LwA)	99
Guaranteed sound power level (dB/LwA)	101
Speed (km/h)	10-30
Engine oil tank capacity (L)	8,9
Hydraulic oil tank capacity (L)	80

☐ **WHEELS**

**SKID**  
 31x15.50-15

**ALL TRAC**  
 31x15.50-15  
 33x15.50-15

**TRACTOR**  
 33x15.50-15

**TURF**  
 29x12.50-15  
 31x15.50-15

☐ **OPTIONS**
**PRICE €**

4	5	1	2	0	2	8	3	Electric floating system	462,00
4	5	1	2	0	2	8	4m	Rear 3 point set-up for lifter (double flow)	962,00
4	5	1	2	0	0	2	1	Independent dual front outlets +15 funct. Joystick	1.581,00
4	5	1	2	0	0	1	8	Independent dual front outlets + 1 simultaeus rear connec. to the front left outlet +15 funct. joystick	1.854,00
4	5	1	2	0	2	8	8	Driving lights	1.240,00
4	5	1	2	0	3	4	8	Independent rear-outlet + 15- function joystick	1.581,00
4	5	1	2	0	2	9	0	Difference from 11- function joystick to 11- function ergonomic joystick	416,00
4	5	1	2	0	2	9	1	Rear-counterweights 250 Kg (210 Kg if associated to trailer coupling)	1.711,00
4	5	1	2	0	0	6	6	Rear-counterweights 210 Kg	1.577,00
4	5	1	2	0	2	9	3	Trailer coupling for 210 Kg rear counterweights	345,00
4	5	1	2	0	2	9	4	Winter protection (front windscreen+screenwiper)	1.066,00
4	5	1	2	0	0	2	3	Cabin with heating system	6.365,00
4	5	1	2	0	2	9	6	Heating system	1.350,00
4	5	1	2	0	3	5	0	Cabin with A/C and heating system	8.768,00
4	5	1	2	0	2	9	7	Kit of three rear-view mirrors	175,00
4	5	1	2	0	2	9	9	Heated fabric seat	464,00
4	5	1	2	0	3	1	3	Side safety protection	579,00
4	5	1	2	0	3	0	2	Rear auxiliary electric outlet (165 W)	380,00
4	5	1	2	0	3	0	3	Quick coupling system "MULTIFASTER" @ Part fixed on the machine	672,00
4	5	1	2	0	2	1	1	Quick coupling system "MULTIFASTER" @ Part for the attachments	341,00
4	5	1	2	0	3	0	5	Soundproof rear hood	800,00
4	5	1	2	0	3	0	7	Difference from standard to skid wheels 31x15.50-15	800,00
4	5	1	2	0	3	1	5	Difference from standard to garden wheels 31x15.50-15	232,00
4	5	1	2	0	3	4	7	Difference from standard to all trac wheels 33x15.50-15	394,00
4	5	1	2	0	3	5	2	Difference from standard to all trac wheels 31x15.50-15	225,00
4	5	1	2	0	3	5	7	Radiator protection grid	1.083,00
4	5	1	2	0	3	8	3	Difference from standard to All Black (version with cabin), A/C and heating system	9.289,00
4	5	1	2	0	3	5	8	Difference from standard to All Black (version without cabin)	520,00
4	5	1	2	0	0	5	1	Cylinders with anti-fall valve	536,00
4	5	1	2	0	0	3	9	Predisposition for road omologation (no Italy)	1.746,00
4	5	1	2	0	3	9	7	13-pin socket for trailer/caravan	169,00

N.B.: can only be used with road lights



## ATTACHMENTS

The Castloaders range of attachments has been designed to provide professionals with the right tools for every need, built with high quality and reliable materials.

The uses are many and the fields of application range from agriculture to construction, from breeding to gardening, from nursery to municipal, from industrial to DIY.

All our attachments are tested directly on the machines and guaranteed for a period of twelve months.

## SAND BUCKET



A	4	6	1	2	0	0	1
---	---	---	---	---	---	---	---

Sand bucket  
width mm 1200  
volume l 159  
weight kg 66

A	4	6	1	2	1	0	6
---	---	---	---	---	---	---	---

Sand bucket  
width mm 1500  
volume l 200  
weight kg 78

A	4	6	1	2	0	0	2
---	---	---	---	---	---	---	---

Forged teeth for bucket  
6 pcs for mm 1200 bucket (price per unit)  
7 pcs for mm 1500 bucket (price per unit)

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

799,00

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

849,00

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

21,00

## HIGH VOLUME BUCKET



A	4	6	1	2	0	0	3
---	---	---	---	---	---	---	---

High volume bucket  
width mm 1208  
volume l 265  
weight kg 83

A	4	6	1	2	0	0	4
---	---	---	---	---	---	---	---

High volume bucket  
width mm 1508  
volume l 330  
weight kg 97

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

854,00

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

1.009,00

## 4 IN 1 BUCKET



A	4	6	1	2	0	0	5
---	---	---	---	---	---	---	---

4 in 1 bucket  
width mm 1300  
volume l 197  
weight kg 233

A	4	6	1	2	1	1	0
---	---	---	---	---	---	---	---

4 in 1 bucket  
width mm 1504  
volume l 230  
weight kg 255

A	4	6	1	2	0	0	2
---	---	---	---	---	---	---	---

Forged teeth for bucket  
6 pcs for mm 1300 bucket (price per unit)  
7 pcs for mm 1504 bucket (price per unit)

	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

3.345,00


800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

3.727,00

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

21,00

## LOW PROFILE BUCKET



A	4	6	1	2	1	1	7
---	---	---	---	---	---	---	---

Low profile bucket  
width mm 1200  
volume l 188  
weight kg 126


A	4	6	1	2	1	1	8
---	---	---	---	---	---	---	---

Low profile bucket  
width mm 1532  
volume l 240  
weight kg 146

								PRICE €
800ECO	820D	825D	830D		28T	30T	33T	1.169,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

								PRICE €
800ECO	820D	825D	830D		28T	30T	33T	1.289,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

## GRAPPLE BUCKET



A	4	6	1	2	0	5	8
---	---	---	---	---	---	---	---

Grapple bucket  
width mm 1100  
weight kg 180

A	4	6	1	2	0	5	9
---	---	---	---	---	---	---	---

Grapple bucket\*  
width mm 1300  
weight kg 200  
\*equipped with teeth

								PRICE €
800ECO	820D	825D	830D		28T	30T	33T	2.110,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

								PRICE €
800ECO	820D	825D	830D		28T	30T	33T	2.223,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

## HIGH TIPPING BUCKET



A	4	6	1	2	1	3	0
---	---	---	---	---	---	---	---

High tipping bucket  
width mm 1208  
volume l 179  
weight kg 145

								PRICE €
800ECO		825D	830D		28T	30T	33T	3.500,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

## FIXED JIB BOOM



This accessory is suitable for all lifting operations where there is a difficult accessibility or there are obstacles. Built in reinforced steel, it extends the extension of the arm and finds application in various sectors.

A	4	6	1	2	1	3	1
---	---	---	---	---	---	---	---


Jib boom  
length mm 1220  
weight kg 90  
lifting capacity kg 220

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

761,00

## ROUND BALE FORK



Two-pronged ribbed metal fork with excellent resistance to carry any type of bales. It mounts quickly and easily. Ideal in agriculture and breeding.

A	4	6	1	2	0	1	1
---	---	---	---	---	---	---	---

Round bale fork  
width mm 808  
length of the teeth cm 64  
weight kg 54

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

591,00

## SILAGE FORK



It is a multipurpose bucket ideal for agriculture and livestock for handling fodder. Thanks to the hydraulic movement and the wide opening radius it is able to handle large logs, as well as branches, fagots etc...

A	4	6	1	2	0	1	2
---	---	---	---	---	---	---	---

Silage fork  
width mm 912  
length of the teeth cm 64  
weight kg 144

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

2.234,00

## SWEEPER



IL SETOLONE all-stainless steel sweeper with Stripline Quick Replacement bristles for quick clearing of grains or various debris.

A	4	6	1	2	1	9	0
---	---	---	---	---	---	---	---

Sweeper "IL SETOLONE"

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

3.537,00

## MANURE FORK



Built to offer excellent visibility to the operator, it is an excellent attachment for breeding forage, animal bedding and cleaning stables. The teeth can be easily and quickly replaced.

A	4	6	1	2	0	1	3
---	---	---	---	---	---	---	---

Manure fork  
width mm 1102  
weight kg 135

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

1.344,00

A	4	6	1	2	1	1	1
---	---	---	---	---	---	---	---

Manure fork  
width mm 1400  
weight kg 160

800ECO	820D	825D	830D	23T	28T	30T	33T
33TLX	GEN40XD	MAXO57S	MAXO57D	GEN25HP			

## LEVELER



Ideal attachment for leveling the ground. It is made of steel with a reticular structure that allows the easy and rapid leveling of sandy and gravelly surfaces.

A	4	6	1	2	1	6	3
---	---	---	---	---	---	---	---

Leveler

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

1.030,00

## ANGLE BLADE



This attachment is designed for heavy work, to level ground, move and move large quantities of material. It is made of very sturdy steel and can be oriented at angles up to 30 ° both to the right and to the left.

A	4	6	1	2	0	1	4
---	---	---	---	---	---	---	---

Angle blade  
width mm 1400  
height mm 530  
slewing angle +/- 30°  
weight kg 105

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

2.090,00

## RUBBER BLADE



The rubber blade is a useful accessory for breeding stables on smooth floors. Ensures effective scraping thanks to the special rubber edge, soft but wear resistant at the same time.

A	4	6	1	2	1	5	9	M	1
---	---	---	---	---	---	---	---	---	---

Rubber blade  
width mm 1500  
weight kg 80

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

1.650,00

## PROFESSIONAL SNOW PLOW



High strength steel structure with lower polyurethane blade for clearing snow on sidewalks and roads. Hydraulically controlled tilting and mechanical absorption system.

PRICE €

A	4	6	1	2	1	7	5
---	---	---	---	---	---	---	---

Professional snow plow  
width mm 1500

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

4.324,00

A	4	6	1	2	1	7	6
---	---	---	---	---	---	---	---

Rubber blade kit

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

334,00

A	4	6	1	2	1	7	7
---	---	---	---	---	---	---	---

polyurethane blade kit

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

449,00

A	4	6	1	2	1	7	8
---	---	---	---	---	---	---	---

Kit 2 wheels

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

589,00

A	4	6	1	2	1	7	9
---	---	---	---	---	---	---	---

Blade height adjustment kit

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

253,00

## V-PLOW



Professional attachment designed for clearing snow from streets and squares. It is hydraulically controlled and offers different tilt angles. It's equipped with absorption springs and lower edge blades in polyurethane.

PRICE €

A	4	6	1	2	1	2	9	M	1
---	---	---	---	---	---	---	---	---	---

V-Plow 210  
width mm 2100  
slewing angle +/- 30°  
weight kg 400

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

10.930,00

## ROTARY BROOM WITH SNOW BLADE



The COMBI NEVE system, brush plus snow plough, is an interesting solution for the rapid cleaning and clearing of airport runways, large car parks, motorways, roads and yards with delicate pavements where effective cleaning without the use of salts or chemicals is required.

PRICE €

A	4	6	1	2	1	8	5
---	---	---	---	---	---	---	---

Rotary broom with snow blade  
width mm 1500

	40XD	MAXO57S	MAXO57D				
--	------	---------	---------	--	--	--	--

8.253,00

## SALT/SAND SPREADER



This attachment has been designed for maintenance of roads and sidewalks in the winter period. In summertime it can be used to spread sand or fertilizing. It is equipped with agitator, hydraulic operation. It must be mounted on the back of the machine.

A	4	6	1	2	0	1	6
---	---	---	---	---	---	---	---

Salt/sand spreader  
dimensions mm 1052x1000x1210  
volume l 250  
spreading width m 4/15 (\*)  
pressure 120 bar  
oil capacity 25 l/min  
weight kg 90

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €  
2.292,00

(\*) the machine requires rear hydraulic outlets

## PROFESSIONAL SNOWBLOWER



This snow blower efficiently removes wet and dry snow from roads, yards and pedestrian areas. The chimney is electrically adjustable by 180 ° and can be managed directly by the operator at the driver's seat.

A	4	6	1	2	1	5	6
---	---	---	---	---	---	---	---

Professional snowblower  
width mm 1400  
slewing angle +/- 30°  
double stage / 5 paddles  
weight kg 225

			830D				33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €  
14.030,00

## PALLET FORK



Built in high-strength steel with a safety frame to hold the load. Available in four versions depending on the machine model.

A	4	6	1	2	0	1	0
---	---	---	---	---	---	---	---

Pallet fork  
width mm 760  
blade length mm 900  
lifting capacity kg 1000  
weight kg 97

800ECO	820D	825D	830D		28T	30T	33T
33TLX				GEN25HP			

PRICE €  
1.069,00

A	4	6	1	2	1	0	9
---	---	---	---	---	---	---	---

Pallet fork  
width mm 1000  
blade length mm 900  
lifting capacity kg 1800  
weight kg 127

	40XD	MAXO57S	MAXO57D				
--	------	---------	---------	--	--	--	--

1.375,00

A	4	6	1	2	1	5	4
---	---	---	---	---	---	---	---

Pallet fork  
width mm 760  
blade length mm 1200  
lifting capacity kg 1000  
weight kg 150

33TLX	820D	825D	830D		28T	30T	33T
				GEN25HP			

1.188,00

A	4	6	1	2	1	6	5
---	---	---	---	---	---	---	---

Pallet fork  
width mm 760  
blade length mm 1100  
lifting capacity kg 1000  
weight kg 110

800ECO	820D	825D	830D		28T	30T	33T
33TLX				GEN25HP			

1.125,00

A	4	6	1	2	1	8	3
---	---	---	---	---	---	---	---

Pallet fork  
width mm 1000  
blade length mm 1200  
lifting capacity kg 1800

	40XD	MAXO57S	MAXO57D				
--	------	---------	---------	--	--	--	--

1.293,00

## PALLET FORK WITH SHIFTER



Made of high strength steel. Available in two versions depending on the machine model. Hydraulic control with shifter, ideal for working in small spaces with various pallet sizes.

A	4	6	1	2	1	3	5
---	---	---	---	---	---	---	---

Pallet fork with shifter  
width mm 900  
blade length mm 900  
lifting capacity kg 1000  
weight kg 150

800ECO	820D	825D	830D		28T	30T	33T	PRICE €
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				1.688,00

A	4	6	1	2	1	3	6
---	---	---	---	---	---	---	---

Pallet fork with shifter  
width mm 900  
blade length mm 900  
lifting capacity kg 1800  
weight kg 190

	40XD	MAXO57S	MAXO57D	GEN25HP				1.970,00
--	------	---------	---------	---------	--	--	--	----------

## BACK 3 POINT LIFTER



The rear lift is indispensable for the connection of all the accessories that need to be operated from the back of the specially prepared machine. Hydraulic system.

A	4	6	1	2	1	1	9
---	---	---	---	---	---	---	---

Back 3 point lifter (\*)  
width mm 800  
lifting capacity kg 350  
weight kg 76

					28T	30T	33T	PRICE €
33TLX	40XD			GEN25HP				2.327,00

A	4	6	1	2	1	7	2
---	---	---	---	---	---	---	---

Back 3 point lifter (\*)  
width mm 750  
lifting capacity kg 350  
weight kg 76

		MAXO57S	MAXO57D					2.260,00
--	--	---------	---------	--	--	--	--	----------

(\*) the machine requires rear hydraulic outlets and provision for a lift on 30 series (Option 45120170)

## BALE CLAMP



This hydraulic clamp is designed to work safely in the movement of bales without damaging them. It is available in versions for wrapped bales and not wrapped bales with special teeth that hold the forage.

A	4	6	1	2	1	0	5
---	---	---	---	---	---	---	---

Wrapped bale clamp  
for Ø mm1200÷1500 bales  
weight kg 135


800ECO		825D	830D		28T	30T	33T	PRICE €
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				3.281,00

A	4	6	1	2	1	0	7
---	---	---	---	---	---	---	---

Bale clamp (with forged teeth)  
for Ø mm1200÷1500 bales  
weight kg 148

800ECO		825D	830D		28T	30T	33T	PRICE €
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				3.505,00

## TREE SHEAR



Tree shears are ideal for application on articulated miniloaders, offering a versatile solution for cutting and removing trees and bushes along field edges, river banks, roads and highways.

A	4	6	1	2	1	9	2
---	---	---	---	---	---	---	---

Hydraulic flow rate: 25-40l/min  
Max. log size: 150mm  
Length: 730mm  
Width: 590mm

		825D	830D		28T	30T	33T	PREZZO €
33TLX				GEN25HP				5.400,00

O	N	D	E	M	A	N	D
---	---	---	---	---	---	---	---

Hydraulic flow rate: 25-40l/min  
Max. log size: 150mm  
Length: 730mm  
Width: 590mm

	40XD	MAXO57S	MAXO57D					On Demand
--	------	---------	---------	--	--	--	--	-----------

**ARBORIST LOG GRAPPLE**

High capacity gripper to handle bulky and heavy logs. It is mainly used in forestry. Hydraulic system.



A	4	8	1	6	2	0	0
---	---	---	---	---	---	---	---

Logs grabbing tool  
caliper weight 82 kg  
rotor weight 12 kg  
lifting capacity kg 1400  
max pressure 250 bar

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

3.305,00

**LOG GRABBER**

Attachment suitable for forestry, gardening, agriculture. High-strength steel toothed pliers designed to accommodate logs of varying sizes.



A	4	6	1	2	1	0	4
---	---	---	---	---	---	---	---

Log grabber  
weight kg 140

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

3.209,00

**GRABBING TOOL**

Attachment that is used in various sectors such as gardening, floriculture, industrial storage. Thanks to its pliers coupled with soft rubber, it lifts jars of various sizes without damaging them, industrial drums with maximum grip and safety.



A	4	8	1	6	0	7	1
---	---	---	---	---	---	---	---

Grabbing tool  
minimum diameter 320 mm  
maximum diameter 1000 mm  
weight kg 85

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

3.422,00

**CHIPPER**

The chipper is a small, easily transportable machine that provides the ability to reduce large-diameter prunings, bundles of branches, or wooden boards.



A	4	6	1	2	1	9	1
---	---	---	---	---	---	---	---

Chipper

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

7.294,00

## FLAIL MOWER WITH COLLECTION TANK



Ideal attachment for green professionals. Perfectly shaves the grass, both dry and wet. Adjustable cutting height. 700 liter collection, the box can easily emptied. Hydraulic system.

A	4	6	1	2	1	3	7
---	---	---	---	---	---	---	---

Flail mower with collection tank  
width mm 1200  
volume l 700  
weight kg 330

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

9.714,00

## FLAIL MOWER



Grass shredder with great cutting power, very effective for cutting tall grass and pruning. Hydraulic operating system with high productivity in terms of time and cutting quality. Cutting height 2/12 cm.

A	4	6	1	2	0	2	8
---	---	---	---	---	---	---	---

Flail mower  
width mm 1050  
weight kg 130

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

4.990,00

A	4	6	1	2	0	2	9
---	---	---	---	---	---	---	---

Flail mower  
width mm 1300  
weight kg 152

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

5.300,00

A	4	6	1	2	0	3	0
---	---	---	---	---	---	---	---

Flail mower ("Y" blades)  
width mm 1550  
weight kg 170

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

5.650,00

A	4	6	1	2	1	7	3
---	---	---	---	---	---	---	---

Flail mower (hammer-blades)  
width mm 1550  
weight kg 170

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

6.533,00

A	4	6	1	2	0	3	1
---	---	---	---	---	---	---	---

30 knives kit for "fine cut"  
for mm 1050 flail mower

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

700,00

A	4	6	1	2	0	3	2
---	---	---	---	---	---	---	---

40 knives kit for "fine cut"  
for mm 1300 flail mower

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

890,00

A	4	6	1	2	0	3	3
---	---	---	---	---	---	---	---

48 knives kit for "fine cut"  
for mm 1550 flail mower

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

1.100,00

A	4	6	1	2	1	4	5
---	---	---	---	---	---	---	---

Flow shutter valve kit

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

700,00

(\*) the machine requires rear hydraulic outlets and back 3rd point lifter

## LAWN MOWER



Specific lawn mower for the gardening sector and green care in general. Excellent attachment for turf maintenance in golf courses, private and public gardens. Cutting height 10/130 mm.

								PRICE €
A	4	6	1	2	0	2	0	4.559,00
Lawn mower width mm 1200 weight kg 170								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	4.694,00
A	4	6	1	2	0	2	4	5.290,00
Lawn mower width mm 1350 weight kg 185								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP		30T	33T	300,00
A	4	6	1	2	0	9	8	330,00
Lawn mower width mm 1500 weight kg 200								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP			33T	330,00
A	4	6	1	2	0	2	2	380,00
Kit for rear discharge for mm 1200 lawn mower								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	370,00
A	4	6	1	2	0	2	6	369,00
Kit for rear discharge for mm 1350 lawn mower								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP			33T	591,00
A	4	6	1	2	0	2	7	940,00
Mulching kit for mm 1200 lawn mower								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	117,00
A	4	6	1	2	1	4	0	332,00
Mulching kit for mm 1500 lawn mower								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP			33T	332,00
A	4	6	1	2	1	4	1	332,00
Pneumatic wheels kit Ø mm 260								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP			33T	332,00
A	4	6	1	2	1	4	2	332,00
Pneumatic wheels kit Ø mm 330								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP			33T	332,00
A	4	6	1	2	1	4	3	332,00
Anti-scalp roller								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP			33T	332,00
A	4	6	1	2	1	4	4	332,00
Flow shutter valve kit								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP			33T	332,00

## HEDGE CUTTER BAR



This serrated blade bar is the ideal attachment for the maintenance of hedges with an excellent finish quality. Electric / hydraulic operation. Cutting angle electrically adjustable from horizontal to vertical quickly and with extreme ease.

PRICE €

A	4	6	1	2	1	1	4
---	---	---	---	---	---	---	---

Hedge cutter bar (\*)  
length mm 1200  
arm mm 1200  
tilt angle 270°  
weight kg 180

800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T
-----------------	--------------	-----------------	-----------------	---------	-----	-----	-----

4.751,00

A	4	6	1	2	1	1	5
---	---	---	---	---	---	---	---

Hedge cutter bar (\*)  
length mm 1500  
arm mm 1500  
tilt angle 270°  
weight kg 200

33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T
-------	------	-----------------	-----------------	---------	-----	-----	-----

4.955,00

(\*) auxiliary electrical output 165W required

## STONEBURIER



It allows the optimal finishing of the soil by removing pebbles from the ground and chalking the land with excellent leveling. Excellent for the preparation of sowing in agriculture and gardening.

PRICE €

A	4	6	1	2	0	3	4
---	---	---	---	---	---	---	---

Stoneburier (\*)  
width mm 1050  
weight kg 175

33TLX	40XD	MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T
-------	------	---------	-----------------	---------	-----	-----	-----

7.200,00

A	4	6	1	2	0	3	6
---	---	---	---	---	---	---	---

Stoneburier (\*)  
width mm 1250  
weight kg 260

33TLX	40XD	MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T
-------	------	---------	-----------------	---------	-----	-----	-----

7.798,00

(\*) the machine requires rear hydraulic outlets and back 3rd point lifter

## ROTARY TILLER



This attachment operated by an excellent hydraulic system allows you to mill hard and compact soils and prepare them for sowing or planting.

PRICE €

A	4	6	1	2	0	3	9
---	---	---	---	---	---	---	---

Rear rotary tiller (\*)  
width mm 1050  
depth mm 150 - weight kg 100

33TLX	40XD	MAXO57S	MAXO57D	GEN25HP	28T	30T	33T
-------	------	---------	---------	---------	-----	-----	-----

3.450,00

A	4	6	1	2	0	4	0
---	---	---	---	---	---	---	---

Rear rotary tiller (\*)  
width mm 1250  
depth mm 150 - weight kg 120

33TLX	40XD	MAXO57S	MAXO57D	GEN25HP	28T	30T	33T
-------	------	---------	---------	---------	-----	-----	-----

3.890,00

A	4	6	1	2	1	3	8
---	---	---	---	---	---	---	---

Offset through handle

33TLX	40XD	MAXO57S	MAXO57D	GEN25HP	28T	30T	33T
-------	------	---------	---------	---------	-----	-----	-----

117,00

A	4	6	1	2	1	3	9
---	---	---	---	---	---	---	---

Flow shutter valve kit

33TLX	40XD	MAXO57S	MAXO57D	GEN25HP	28T	30T	33T
-------	------	---------	---------	---------	-----	-----	-----

700,00

(\*) the machine requires rear hydraulic outlets and back 3rd point lifter

## FLAIL MOWER ARM

Flail Mower connected to an arm, very efficient for cutting grass on embankments or elevated flowerbeds. Hydraulic operating system with high productivity in terms of time and cutting quality.



A	4	6	1	2	1	8	4
---	---	---	---	---	---	---	---

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

8.740,00

(\*) auxiliary electrical output 165W required

## CONCRETE MIXING BUCKET

It is a bucket equipped with a grill with splitting-bag teeth. Mixture of cement mixtures and concrete. Combined with Castloaders machines you can easily transport and unload the dough on sidewalks, narrow spaces, building floors, and basements. Hydraulic system.



A	4	6	1	2	0	4	4
---	---	---	---	---	---	---	---

Concrete mixing bucket (\*)  
width mm 1500  
volume l 200  
weight kg 222

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

6.820,00

A	4	6	1	2	1	7	1
---	---	---	---	---	---	---	---

Concrete mixing bucket (\*)  
width mm 1520  
volume l 350  
weight kg 395

		MAXO57S	MAXO57D	GEN25HP			
--	--	---------	---------	---------	--	--	--

12.257,00

(\*) the machine requires back counterweights

## FRONT SCREENING BUCKET

It separates different grain sizes of aggregates. It is equipped with anti-shock valve, screens and anti-wear steel structure HB400. Requires an oil flow rate of at least 40 l/min and a maximum of 70 l/min.



A	4	6	1	2	1	6	0
---	---	---	---	---	---	---	---

Front screening bucket (\*)  
width mm 1200  
volume l 200 ca.  
weight kg 350  
Ø selected material 20 mm  
maximum pressure 180 bar

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

15.758,00

(\*) the machine requires back counterweights

## ROTARY BRUSH



It collects dust, light debris and foliage from streets, squares, courtyards, sidewalks, warehouses. All models are equipped with a recovery tank. It does not produce dust.

A	4	6	1	2	1	5	7
---	---	---	---	---	---	---	---

Rotary brush  
width mm 1850  
weight kg 180

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

6.847,00

## FLOATING ROTARY BROOM



This attachment is suitable for removing dirt, debris, snow, from roads, sidewalks, courtyards, yards. Rotating brush movement, with nylon bristles, operated by hydraulic and floating system with horizontal tilting mode.

A	4	6	1	2	1	1	2	M	1
---	---	---	---	---	---	---	---	---	---

Floating rotary broom, adjustable (\*)  
width mm 1200

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

6.950,00

A	4	6	1	2	1	1	3	M	1
---	---	---	---	---	---	---	---	---	---

Floating rotary broom, adjustable (\*)  
width mm 1500

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

7.150,00

(\*) auxiliary electrical output 165W required

## ROTARY BRUSH



Arm equipped with hydraulic motor with the possibility of attaching different types of brushes for mechanical cleaning and weeding. The arm can be manually locked in various positions for ease of use.

A	4	6	1	2	1	8	6
---	---	---	---	---	---	---	---

SPT boom + Brush 120cm in PPN

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

4.554,00

A	4	6	1	2	1	8	7
---	---	---	---	---	---	---	---

SPT boom + 75cm brush for  
mechanical weeding

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

6.384,00

A	4	6	1	2	1	8	9
---	---	---	---	---	---	---	---

Brush 120cm in PPN

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

1.688,00

A	4	6	1	2	1	8	8
---	---	---	---	---	---	---	---

Brush 75cm for mechanical weeding

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

2.588,00

## EXCAVATOR



Excavator with 180° rotation, double jack and limit stop hydraulic brake, 3-point hitch with 5-point provision, independent hydraulic stabilisers, distributor with safety valves and joystick control levers. Built in quality steels, grouted and grinded pins and bushings on all articulations. It is used in agriculture, construction, gardening, municipal maintenance and roads.

A	4	6	1	2	1	7	4
---	---	---	---	---	---	---	---

Excavator B13  
 bucket volume l 14  
 bucket dimension mm 300  
 range of action mm 2000  
 rotation 180°  
 digging depth mm 1300  
 weight kg 250

		825D	830D		28T	30T	33T
33TLX				GEN25HP			

PRICE €

7.833,00

A	4	6	1	2	1	6	1
---	---	---	---	---	---	---	---

Excavator B13  
 bucket volume l 14  
 bucket dimension mm 300  
 range of action mm 2000  
 rotation 180°  
 digging depth mm 1300  
 weight kg 250

	40XD	MAXO57S	MAXO57D				
--	------	---------	---------	--	--	--	--

7.675,00

## MINI EXCAVATOR



Excavator arm, ideal for small excavations and earth-works, debris, etc. Excellent in construction to work in small spaces. It is easily transported and mounted on the machine very quickly.

A	4	6	1	2	0	4	5
---	---	---	---	---	---	---	---

Mini excavator  
 bucket volume l 14  
 bucket dimension mm 300  
 digging depth mm 1700  
 weight kg 80

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

2.578,00

## TRENCHER



The trencher is an essential attachment for practicing canals in the ground for different applications, in agriculture, gardening, construction. The digging width is 12 cm but it can be expanded up to 20 cm thanks to the optional excavation enlarger.

--	--	--	--	--	--	--	--

T800 Trencher  
 digging depth mm 800  
 digging width mm 120  
 weight kg 260

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE €

----

--	--	--	--	--	--	--	--

Excavation enlarger kit  
 width 150 ÷ 200 mm

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

----

--	--	--	--	--	--	--	--

Trench cleaner

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

----

## PILE HAMMER



Useful attachment in gardening, agriculture and breeding for planting poles without special soil preparation. It is fastened to the machine quickly and with its vibrating hammer is able to plant medium-sized poles on the ground for making palings, fences, etc. in a few seconds.

PRICE €

A 4 6 1 2 0 5 4

Hydraulic pile hammer  
hydraulic system 15 ÷ 30 l/min  
weight of engine kg 60

800ECO	820D	825D	830D		28T	30T	33T	5.375,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

## HYDRAULIC HAMMER



With an optimal weight-power, the hydraulic hammer is a professional attachment that develops all the energy needed to drill asphalt, demolish rock and concrete. Available in two versions.

PRICE €

A 4 6 1 2 0 4 6 M 1

Hydraulic hammer 60  
hydraulic system 15 ÷ 30 l/min  
weight of engine kg 60

800ECO	820D	825D	830D		28T	30T	33T	5.234,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

A 4 6 1 2 0 5 0 M 1

Hydraulic hammer 90  
hydraulic system 20 ÷ 40 l/min  
weight of engine kg 90

33TLX	40XD	MAXO57S	830D	GEN25HP	28T	30T	33T	6.090,00
			MAXO57D					

A 4 6 1 2 0 4 7

Round drill for mod. 60

33TLX	40XD	MAXO57S	830D	GEN25HP	28T	30T	33T	204,00
			MAXO57D					

A 4 6 1 2 0 4 8

Chisel drill for mod. 60

33TLX	40XD	MAXO57S	830D	GEN25HP	28T	30T	33T	204,00
			MAXO57D					

A 4 6 1 2 0 5 2

Chisel drill for mod. 90

800ECO	820D	825D	830D		28T	30T	33T	409,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

A 4 6 1 2 0 4 9

Asphalt drill for mod. 60

800ECO	820D	825D	830D		28T	30T	33T	682,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

A 4 6 1 2 0 5 3

Asphalt drill for mod. 90

800ECO	820D	825D	830D		28T	30T	33T	746,00
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP				

## AUGER



Specific attachment to drill holes for planting, palisades, fences, small pillars. Ideal for breeding, agriculture, construction. Available with two different hydraulic capacities, it allows working on medium and high hardness soils, from sandy/clayey to rocky terrain.

PRICE €

A 4 6 1 2 0 6 2

Hydraulic auger - head T1\*  
hydraulic system 30 l/min  
pressure 250 bar  
weight of engine kg 90

33TLX	40XD	825D	830D		28T	30T	33T	3.135,00
		MAXO57S	MAXO57D	GEN25HP				

A 4 6 1 2 0 6 3

Hydraulic auger - head T2\*  
hydraulic system 50 l/min  
pressure 250 bar  
weight of engine kg 100

33TLX	40XD	MAXO57S	830D	GEN25HP	28T	30T	33T	3.241,00
			MAXO57D					

(\*) Drills not included

## DRILLS FOR CLAY/SANDY SOILS



Drills for auger suitable for sandy and clay soils. Built with the highest quality materials, these drills represent the best tools for professionals and guarantee long life and excellent performance.

								PRICE €
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>4</b>	
Ø mm 100 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>5</b>	
Ø mm 150 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>6</b>	
Ø mm 200 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>7</b>	
Ø mm 250 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>8</b>	
Ø mm 300 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>9</b>	
Ø mm 350 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>7</b>	<b>0</b>	
Ø mm 400 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>7</b>	<b>1</b>	
Ø mm 450 drill length mm 1000								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	632,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	668,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	759,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	777,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	926,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	1.098,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	1.194,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	1.242,00

## DRILLS FOR STONY SOILS (\*)



These drills are suitable for working on very hard stony terrain and satisfy the most demanding users thanks to the high strength metal.

								PRICE €
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>8</b>	<b>2</b>	
Ø mm 150 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>8</b>	<b>3</b>	
Ø mm 200 drill length mm 1000								
<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>8</b>	<b>4</b>	
Ø mm 250 drill length mm 1000								
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	886,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	1.075,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	1.124,00

(\*) only with T2 head Auger

## DRILL EXTENSIONS FOR CLAY/SANDY SOILS

These drill extensions are made of high-strength steel and are suitable for all our specific drills for clay and sandy soils.



A	4	6	1	2	0	7	3
---	---	---	---	---	---	---	---

Ø mm 100 drill extension  
length mm 1000

A	4	6	1	2	0	7	4
---	---	---	---	---	---	---	---

Ø mm 150 drill extension  
length mm 1000

A	4	6	1	2	0	7	5
---	---	---	---	---	---	---	---

Ø mm 200 drill extension  
length mm 1000

A	4	6	1	2	0	7	6
---	---	---	---	---	---	---	---

Ø mm 250 drill extension  
length mm 1000

A	4	6	1	2	0	7	7
---	---	---	---	---	---	---	---

Ø mm 300 drill extension  
length mm 1000

A	4	6	1	2	0	7	8
---	---	---	---	---	---	---	---

Ø mm 350 drill extension  
length mm 1000

A	4	6	1	2	0	7	9
---	---	---	---	---	---	---	---

Ø mm 400 drill extension  
length mm 1000

A	4	6	1	2	0	8	0
---	---	---	---	---	---	---	---

Ø mm 450 drill extension  
length mm 1000

A	4	6	1	2	0	8	1
---	---	---	---	---	---	---	---

Ø mm 500 drill extension  
length mm 1000

								PRICE €
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	514,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP				562,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	591,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	596,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	687,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	765,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	808,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	860,00
33TLX	40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	903,00

## DRILL EXTENSIONS FOR STONY SOILS (\*)

These drill extensions are made of high-strength steel and are suitable for all our specific drills for stony soils.



A	4	6	1	2	0	9	0
---	---	---	---	---	---	---	---

Ø mm 150 drill extension  
length mm 1000

A	4	6	1	2	0	9	1
---	---	---	---	---	---	---	---

Ø mm 200 drill extension  
length mm 1000

A	4	6	1	2	0	9	2
---	---	---	---	---	---	---	---

Ø mm 250 drill extension  
length mm 1000

								PRICE €
33TLX	40XD	MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	596,00
33TLX	40XD	MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	658,00
33TLX	40XD	MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	668,00

(\*) only with T2 head Auger

\*\* prices for 4 wheels kit

CODE								DESCRIPTION	SIZE	PRICE € **
4	5	1	6	1	0	2	0	TURF	26x12.00-12	1.391,00
4	5	1	6	1	0	2	1	TURF	24x13.00-12	1.442,00
4	5	1	6	1	0	2	2	SKID	26x12.00-12	1.545,00
4	5	1	6	1	0	2	3	TRACTOR	23x10.50-12	1.071,00
4	5	1	6	1	0	0	5	TURF	23x10.50-12	1.359,00
4	5	1	6	1	0	0	3	TURF	26.50x14.00-12	1.947,00
4	5	1	6	1	0	2	4	TURF	23x8.50-12	1.406,00
4	5	1	6	1	0	2	6	TRACTOR (<1000mm - only for 800 series)	23x8.50-12	1.452,00
4	5	1	6	1	0	1	3	TRACTOR	23x8.50-12	1.616,00
4	5	1	6	1	0	3	9	TURF	29x12.50-50	2.266,00
4	5	1	6	1	0	2	5	TURF (only for Maxo Series)	31x15.50-15	2.369,00
4	5	1	6	1	0	1	9	TRACTOR	26x12.00-12	1.494,00
4	5	1	6	1	0	2	7	BKT TRAC MASTER	300/60-12	1.607,00
4	5	1	6	1	0	3	7	TURF	31x15.50-15	2.575,00
4	5	1	6	1	0	3	3	ALL TRAC	31x15.50-15	2.304,00
4	5	1	6	1	0	3	4	TRACTOR (only for Genesis 40XD)	29x12.50-15	1.879,00
4	5	1	6	1	0	4	0	TRACTOR (only for Maxo Series)	31x15.50-15	2.225,00
4	5	1	6	1	0	4	1	TRACTOR (only for 825D)	7.00-12	1.736,00

																			PRICE €
Electric floating system kit 30 series	4	5	1	6	0	0	0	6		33TLX (no Carbon)					28T	30T	33T		334,00
Electric floating system kit 800 series	4	5	1	6	0	0	0	5			820D	825D	830D						334,00
165W Rear auxiliary electric outlet kit	4	5	1	6	0	0	0	8		33TLX					28T	30T	33T		299,00
210 Kg rear counterweights kit	4	5	1	6	0	0	1	1		33TLX					28T	30T	33T		2.049,00
Spacer kit + fixing studs	4	5	1	6	0	0	1	2		800ECO 33TLX	820D	825D	830D		28T	30T	33T		415,00
Trailer coupling kit for 100 Kg rear counterweights	4	5	1	6	0	0	1	3		33TLX					28T	30T	33T		513,00
11- function joystick kit	4	5	1	6	0	0	1	5			820D	825D							1.473,00
Quick coupling system "MULTIFASTER"® complete kit	4	5	1	6	0	0	1	9		800ECO 33TLX	820D	825D	830D		28T	30T	33T		910,00
Floating kit with MgQuix pipes	4	5	1	6	0	0	2	0		800ECO	820D	825D	830D						346,00
Selflevelling kit without MgQuix pipes	4	5	1	6	0	0	2	1							28T				1.379,00
Selflevelling kit with MgQuix pipes	4	5	1	6	0	0	2	2							28T				1.379,00
Selflevelling w. parallel distributor kit	4	5	1	6	0	0	2	3							28T				1.379,00
Selflevelling w. parallel distributor with MgQuix pipes	4	5	1	6	0	0	2	4							28T				1.379,00
11- function joystick kit	4	5	1	6	0	0	2	5											1.473,00
11- function joystick kit without MgQuix pipes	4	5	1	6	0	0	2	6							28T	30T	33T		1.473,00
11- function joystick kit with MgQuix pipes	4	5	1	6	0	0	2	7							28T	30T	33T		1.473,00
210 Kg rear counterweights kit	4	5	1	6	0	0	2	8			820D	825D	830D						2.049,00
Cabin kit	4	5	1	6	0	0	2	9			40XD								4.326,00
Heating kit	4	5	1	6	0	0	3	0			40XD								958,00
100 Kg rear counterweights kit	4	5	1	6	0	0	6	4			820D	825D	830D						897,00

																			PRICE €
100 Kg rear counterweights kit	4	5	1	6	0	0	3	2	33TLX						28T	30T	33T		1.028,00
Work LED lights (2 front + 1 rear) kit	4	5	1	6	0	0	3	1	800ECO	820D	825D	830D							361,00
Trailer coupling kit for 100 Kg rear counterweights	4	5	1	6	0	0	3	3		820D	825D	830D							308,00
Winter protection kit	4	5	1	6	0	0	3	5		820D	825D	830D							836,00
Winter protection kit	4	5	1	6	0	0	3	4	33TLX						28T	30T	33T		836,00
Radiator protection grid kit	4	5	1	6	0	0	3	7	33TLX						28T	30T	33T		695,00
Radiator protection grid kit	4	5	1	6	0	0	3	8			MAXO57S	MAXO57D							717,00
Trailer coupling kit for 210 Kg rear counterweights	4	5	1	6	0	0	3	9	33TLX	40XD	MAXO57S	MAXO57D			28T	30T	33T		330,00
Adjustable soft rubber armrest kit	4	5	1	6	0	0	4	0	33TLX						28T	30T	33T		175,00
Conversion kit from 10-function joystick to 11-function joystick	4	5	1	6	0	0	4	1	33TLX	820D 40XD	825D MAXO57S	MAXO57D			28T	30T	33T		494,00
Electric floating system kit Maxo	4	5	1	6	0	0	4	2			MAXO57S	MAXO57D							285,00
Trailer coupling kit	4	5	1	6	0	0	4	3	800ECO										308,00
Cabin kit	4	5	1	6	0	0	4	6	33TLX						28T	30T	33T		3.341,00
Winter protection kit	4	5	1	6	0	0	4	4			MAXO57S	MAXO57D							890,00
Attachment plate (to be welded)	4	5	1	6	0	0	4	8	800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D			28T	30T	33T		191,00
Quick coupling system "MULTIFASTER" ® Part for the attachments	4	5	1	6	0	0	4	7	800ECO 33TLX	820D 40XD	825D	830D			28T	30T	33T		341,00
Quick coupling system "MULTIFASTER" ® Part fixed on the machine	4	5	1	6	0	0	5	7			MAXO57S	MAXO57D							616,00
Kit for wheels lashing point (2pcs)	4	5	1	6	0	0	5	3	800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D			28T	30T	33T		119,00
210 Kg rear counterweights kit	4	5	1	6	0	0	6	3			MAXO57S	MAXO57D							2.049,00
Driving lights kit	4	5	1	6	0	0	6	1	33TLX						28T	30T	33T		1.190,00

																			PRICE €
Driving lights kit	4	5	1	6	0	0	6	5	800ECO										1.612,00
Heating system kit	4	5	1	6	0	0	6	6M	33TLX						28T	30T	33T		1.115,00
Cabin + heating kit	4	5	1	6	0	0	6	7			MAXO57S	MAXO57D							5.200,00
Sunroof + plexiglass kit	4	5	1	6	0	0	6	9											187,00
									40XD										
Traction battery	4	5	1	6	0	0	7	0	800ECO										5.200,00
Front window and wiper kit	4	5	1	6	0	0	7	4		40XD									695,00
Front window and wiper kit	4	5	1	6	0	0	4	9	800ECO			MAXO57S	MAXO57D		28T	30T	33T		695,00

**GENERAL WARRANTY CONDITIONS**

Cast Group guarantees its machines and own manufactured component parts for a period of 12 (twelve) months, beginning from the delivery date to the customer, as indicated in the certificate of delivery, but in any case not over 1000 use-hours (whichever elapses sooner). Within 30 days from the delivery date of the machine to the customer, the Importer must send the certificate of delivery to Cast Group Service Department. On the contrary any warranty right is lost. Repairs and/or replacements that are eventually carried out during the warranty period do not cause any change of the foreseen warranty terms.

During the warranty period Cast Group undertakes to change or repair absolutely free of charge any damaged parts if it has been ascertained that the damage is due to manufacturing or material failure. The concerned parts will be changed or repaired by one of Cast Group or of its agent\* or local concessionaires authorized service centers within a short term, according to the possibilities of the entrusted service centre.

The labour cost for the work shop operation will be at Dealer charge.

**WARRANTY LIMITS AND EXCLUSIONS**

All parts produced by Cast Group are covered by warranty. Excluded from the provision of the warranty are following parts:

- Used and second hand products, even if they are Cast Group products.
- Items not manufactured by Cast Group such as tyres, engine and its electrical components, hydraulic components and other implements that are warranted directly by their respective manufacturers.

The provisions of this warranty do not apply to Cast Group products if, in the judgment of Cast Group, they have been:

- Damaged by improper use, accidents, other causalities, carelessness or negligence, or if used beyond their rated capacity.
- Equipped with attachments not authorized by Cast Group.
- Damaged because of lack of normal maintenance service.
- Equipped with non-genuine Cast Group spare parts.
- Damaged by repair or maintenance operations carried out without following the Cast Group directions.

Moreover the warranty does not cover consume materials and/or lubricants. Following materials are in particular excluded from the warranty: filters, chains/belts, brake elements, clutch plates, lamps, fuses, electric motor brushes, rubber parts. Moreover all costs for transport/transfer of the product to the repair place and back are not refundable. A lack of normal maintenance causes the loss of all warranty terms. Moreover all economic damages caused because the product is eventually out of action are not refundable under warranty. Cast Group shall not liable for any direct or indirect damages of any kind or nature.

**MACHINE WARRANTY VALIDATION**

Castloaders machines are guaranteed for the foreseen period provided they are registered on the Restricted Area of the site [www.cast-group.it](http://www.cast-group.it)

This condition is mandatory to validate the warranty.



CAST GROUP S.r.l. UNIPERSONALE  
Via Ponte Grasso, 4, 30030,  
Salzano(VE), Italia  
tel. +39 041 5701827  
fax +39 041 5726786  
[www.cast-group.it](http://www.cast-group.it)  
[info@cast-group.it](mailto:info@cast-group.it)