

2026 CATALOG

WALK POWER MOWERS

#1 AMERICA'S WALK MOWER BRAND

60V^{MAX} BATTERY / GAS POWERED



TORO[®]

RECYCLER[®] | RECYCLER[®] MAX | SUPER RECYCLER[®] | TIMEMASTER[®]

Count on it.

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. *Based on average OpenBrand unit and dollar share for walk behind mower market as of June 2025.

WALK POWER MOWERS FEATURES



RECYCLER CUTTING SYSTEM

RECYCLER® I RECYCLER® MAX WALK POWER MOWERS

- 21" and 22" durable steel decks
- Recycler Cutting System feeds your lawn Lawn Vitamins, fine clippings that nourish your grass
- Push, self-propel rear wheel drive and Personal Pace® Auto-Drive rear-wheel drive options available



TIMEMASTER DUAL-FORCE CUTTING SYSTEM

TIMEMASTER® WALK POWER MOWER

- 30" steel deck with cast-aluminum frame reduces mowing time up to 40%^{^^}
- Tackle tall grass and rough terrain with Dual-Force™ dual blade technology and 2 - 10.0 ah, 540 wh batteries, or with 223cc Briggs & Stratton Engine
- Save space with the Quick Stow fold-up handle



SUPER RECYCLER CUTTING SYSTEM

SUPER RECYCLER® WALK POWER MOWER

- Durable rust-proof, cast-aluminum deck
- Super Recycler Cutting System features two blade accelerators and under-deck bumpers to shave clippings to an ultra-fine mulch, adding nutrients to your lawn
- Glide over holes and bumps with ease with Toro's FLEX™ Handle suspension



VORTEX TECHNOLOGY®

More airflow to supercharge your grass cutting. Ultra-fine clippings provide a nourished, greener, more lush lawn.

AVAILABLE ON
RECYCLER | RECYCLER MAX | SUPER RECYCLER



SUPER BAGGER

Shaped for easier lifting, no-shake dumping and holds more clippings so you empty less often.

AVAILABLE ON
RECYCLER | RECYCLER MAX | SUPER RECYCLER



TRACTION HIGH WHEEL

Provides control and easier maneuverability through turns with greater precision over uneven terrain.

AVAILABLE ON
RECYCLER | RECYCLER MAX | SUPER RECYCLER



PERSONAL PACE® AUTO-DRIVE

No knobs, no levers, no learning—self-propel evolved. Grab the easy-to-steer handle and go.

AVAILABLE ON
RECYCLER | RECYCLER MAX
SUPER RECYCLER | TIMEMASTER



SMARTSTOW®

Save up to 70% floor space^{oo} in the garage or shed for toys, tools and things that really matter.

AVAILABLE ON
RECYCLER | RECYCLER MAX | SUPER RECYCLER



LIGHT AND BRIGHT

Front dual LED headlights equip you to get the job done anytime, from dawn to dusk.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | TIMEMASTER



2-CYCLE AND 4-CYCLE OIL



PREMIUM FUEL TREATMENT

GENUINE TORO® PARTS

To best protect your investment and maintain optimal performance of your turf equipment, count on Toro genuine parts. For peace of mind, insist on Toro genuine parts.



REPLACEMENT WHEELS



REPLACEMENT BLADES

^{oo}Weight savings is compared to a Toro 60v Recycler walk power mower (model 21466T).
^{^^}Time savings via wider cutting path and enhanced speed of TimeMaster® vs. 21" Toro® mower, and will vary due to mowing conditions.

SUPER RECYCLER

**IDEAL FOR MEDIUM SIZED
YARDS, UP TO 1 ACRE**


BEST IN GRASS PERFORMANCE

Reduce water and fertilizer use with the Super Recycler cutting system. Rock-solid construction with commercial components means years of every-day reliability.



	PRO-GRADE	
	SUPER RECYCLER®	
MODEL	21565	21564
DECK SIZE	21" / 53 cm	21" / 53 cm
DECK MATERIAL	Cast-Aluminum	Cast-Aluminum
ENGINE	7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc	» 8.75 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 190cc
DRIVE SYSTEM	Rear Wheel Drive	Rear Wheel Drive
TORO PERFORMANCE WARRANTY**	» 5-Year GTS; 5-Year Limited; 10-Year Deck	» 5-Year GTS; 5-Year Limited; 10-Year Deck
FEATURES		
SUPER RECYCLER™ CUTTING SYSTEM	✓	✓
3-IN-1 READY: MULCH, BAG, SIDE DISCHARGE CAPABLE‡	✓	✓
PERSONAL PACE®	✓	✓
VORTEX TECHNOLOGY®	✓	✓
SUPER BAGGER	✓	✓
TRACTION HIGH WHEEL	✓	✓
SMARTSTOW®	✓	✓
FLEX™ HANDLE SUSPENSION	✓	✓
ELECTRIC START	-	✓
SPIN-STOP™ BLADE STOP	-	-
BALL BEARING WHEELS	✓	✓
BLADE ACCELERATORS & KICKERS	✓	✓
HEIGHT OF CUT	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm
WHEEL HEIGHT	8" Front / 20.3 cm, 10" Rear / 25.4 cm	8" Front / 20.3 cm, 10" Rear / 25.4 cm
HANDLE	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height
WEIGHT	83 lbs. / 37.6 kg	92 lbs. / 41.7 kg

» Enhanced or step-up feature



NEXT-LEVEL MOWING WITH COMMERCIAL-GRADE CONSTRUCTION

Two blade accelerators and under-deck kickers shave grass to an ultra-fine mulch, adding nutrients to your lawn. A cast-aluminum deck and ball bearing wheels deliver ultra smooth mowing. (select models)

¹The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower.

DOES EVERYTHING GAS CAN MINUS THE GAS CAN

America's #1 selling walk mower brand^o, Toro, offers all the performance and durability you expect with the compatibility of the Flex-Force Power System[®]. These dominant, battery-operated lawn mowers come with our interchangeable battery allowing you to use your Toro 60V Max[®] battery seamlessly with more than 75 other products in Toro's Flex-Force yard tool lineup.



MODEL / BARE TOOL	CORE		PREMIUM
	RECYCLER [®]		RECYCLER [®]
	21323 / 21323T	21327	21469
DECK SIZE	21" / 53 cm	21" / 53 cm	22" / 56 cm
DECK MATERIAL	Steel	Steel	Steel
BATTERY [*]	4.0 Ah, 216 wh (L216)	6.0 Ah, 324 wh (L324)	8.0 Ah, 432 wh (L432)
MOTOR	Brushless DC	Brushless DC	Brushless DC
GRASS CUT IN A SINGLE CHARGE	Up to 1/3 acre	Up to 1/3 acre	Up to 1/2 acre
RUN TIME [§]	Up to 42 min	Up to 53 min	Up to 53 min
CHARGE TIME	205 min	308 min	216 min
DRIVE SYSTEM	Push	Rear Wheel Drive	Rear Wheel Drive
TORO PERFORMANCE WARRANTY ^{***}	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower
FEATURES			
BLADES	Single	Single	Single
VORTEX TECHNOLOGY [®]	-	-	✓
3-IN-1 READY: MULCH, BAG, SIDE DISCHARGE CAPABLE [‡]	✓	✓	✓
SUPER BAGGER	-	-	✓
PERSONAL PACE [®] W/ AUTO DRIVE	-	-	✓
BAG ON DEMAND	-	-	✓
TRACTION HIGH WHEEL	✓	✓	✓
SMARTSTOW [®]	✓	✓	✓
LED LIGHTS	-	-	✓
PUSH BUTTON START	✓	✓	✓
HEIGHT OF CUT	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.0" - 4.0" / 2.5 - 10 cm
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm, 10" Rear / 25.4 cm
HANDLE	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height
WEIGHT	64 lbs. / 29.0 kg	65 lbs. / 29.5 kg	85 lbs. / 38.6 kg

^oBased on average OpenBrand unit and dollar share for walk behind mower market as of June 2025.

^{*}Battery manufacturer rating - 60V maximum & 54V typical usage. Actual voltage varies with load.

[‡]Max run time specs based on light conditions and/or lowest speed settings. ^{**}See dealer for complete warranty details.



IDEAL FOR SMALL TO MEDIUM
SIZED YARDS, UP TO 2/3 ACRE



PRO-GRADE

SUPER RECYCLER®	eTIMEMASTER®
21568 / 21568T	21491 / 21491T
21" / 53 cm	30" / 76 cm
Cast-Aluminum	Steel Deck, Cast-Aluminum Frame
7.5 Ah, 405 wh (L405)	» 2 - 10.0 Ah, 540 wh (L540)
Brushless DC	Brushless DC
Up to 1/3 acre	Up to 2/3 acre
Up to 50 min	Up to 65 min
180 min	250 min
Rear Wheel Drive	Rear Wheel Drive
» 3-Year Limited Battery; 5-Year Limited Mower	3-Year Limited Battery; 3-Year Limited Mower
Single	» Dual Blade
✓	-
✓	✓
✓	-
✓	✓
-	-
✓	-
✓	-
✓	✓
✓	✓
1.0" - 4.0" / 2.5 - 10 cm	1.25" - 4.25" / 3.2 - 10.8 cm 2-point
8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm, 10" Rear / 25.4 cm
Flex Handle Suspension, Adjustable Height	Quick Stow 90° Storage, Adjustable Height
90 lbs. / 40.8 kg	161 lbs. / 73.0 kg

» Enhanced or step-up feature

60^{MAX} BATTERY

FLEX-FORCE

POWER SYSTEM™



**It's called Flex-Force for a reason.
It's all about flexible power.**

With an interchangeable battery capable of commanding over 75 lawn tools, it's the one system you need to finish everything without sacrificing anything.



VORTEX TECHNOLOGY & RECYCLER®

More airflow to supercharge your grass cutting. Slice and dice those grass clippings into tiny pieces and return that nutrition back to your lawn.



PERSONAL PACE® AUTO-DRIVE

Personal Pace® Auto-Drive A mower that adjusts to you - no knobs, no levers, no messing around. Grab the easy-to-steer handle and go. *Select models.*



TRACTION HIGH WHEEL

Provides control and easier maneuverability through turns with greater precision over uneven terrain.

RECYCLER

MAKING MOWING EASIER

RECYCLER® MAKES YARD WORK A BREEZE

Don't just cut your grass — nourish it with Toro's Recycler Technology. Slice and dice those grass clippings into tiny pieces and return that nutrition back to your lawn, for Lawn Vitamins. With a Recycler, a healthy, green, lawn has never been easier.

	CORE		
	RECYCLER®		
MODEL	21311	21321	21445
DECK SIZE	21" / 53 cm	21" / 53 cm	22" / 56 cm
DECK MATERIAL	Steel	Steel	Steel
ENGINE	5.5 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 140cc	5.5 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 140cc	6.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 150cc w/Ready Start and Just Check & Add
DRIVE SYSTEM	Push	Rear Wheel Drive	Front Wheel Drive
TORO PERFORMANCE WARRANTY**	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited
FEATURES			
RECYCLER® CUTTING SYSTEM	✓	✓	✓
3-IN-1 READY: MULCH, BAG, SIDE DISCHARGE CAPABLE†	✓	✓	✓
VORTEX TECHNOLOGY®	-	-	✓
SUPER BAGGER	-	-	✓
PERSONAL PACE® W/ AUTO DRIVE	-	-	-
BAG ON DEMAND	-	-	-
TRACTION HIGH WHEEL	✓	✓	✓
SMARTSTOW®	-	-	» ✓
SPIN-STOP™ BLADE STOP	-	-	-
BALL-BEARING WHEELS	-	-	-
FLEX™ HANDLE SUSPENSION	-	-	-
HEIGHT OF CUT	1.25" - 3.75" / 3.2 - 9.5 cm 2-point	1.25" - 3.75" / 3.2 - 9.5 cm 2-point	1.0" - 4.0" / 2.5 - 10 cm
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm
HANDLE	1 Piece, Adjustable Height	1 Piece, Adjustable Height	SmartStow, Curved Easy Go Ergonomic, 1 Piece, Adjustable Height
WEIGHT	62 lbs. / 28.1 kg	67 lbs. / 30.4 kg	72 lbs. / 32.7 kg



IDEAL FOR MEDIUM SIZED YARDS, UP TO 1 ACRE



PREMIUM			
RECYCLER®		RECYCLER® MAX	
21462	21465	21485	21486
22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm
Steel	Steel	Steel	Steel
7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc w/Ready Start and Just Check & Add	6.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 150cc w/Ready Start and Just Check & Add	7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc w/Ready Start and Just Check & Add	7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc w/Ready Start and Just Check & Add
Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive
3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	» 5-year GTS, 5-year Limited	» 5-year GTS, 5-year Limited
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
» ✓	✓	✓	✓
» ✓	✓	✓	✓
✓	✓	✓	✓
-	✓	✓	✓
-	-	-	» ✓
-	-	» ✓	» ✓
-	-	» ✓	» ✓
1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm
8" Front / 20.3 cm , 10" Rear / 25.4 cm	8" Front / 20.3 cm , 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm
1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Flex Handle Suspension, Adjustable Height	SmartStow, 1 Piece, Flex Handle Suspension, Adjustable Height
83 lbs. / 37.6 kg	83 lbs. / 37.6 kg	83 lbs. / 37.6 kg	83 lbs. / 37.6 kg

» Enhanced or step-up feature



TIMEMASTER 30" WIDE AREA

GET IT DONE

AND GET ON WITH YOUR WEEKEND

For big yards and busy schedules, the TimeMaster cuts a wider path on every pass so you can finish mowing faster.

IDEAL FOR LARGE YARDS,
UP TO AN ACRE OR MORE



	PRO-GRADE	
	TIMEMASTER®	
MODEL	21219	21220
DECK SIZE	» 30" / 76 cm	» 30" / 76 cm
DECK MATERIAL	Steel Deck, Cast-Aluminum Frame	Steel Deck, Cast-Aluminum Frame
ENGINE	» 10.00 ft-lb Gross Torque ¹ Briggs & Stratton® 223cc OHV	» 10.00 ft-lb Gross Torque ¹ Briggs & Stratton® 223cc OHV
DRIVE SYSTEM	Rear Wheel Drive	Rear Wheel Drive
TORO PERFORMANCE WARRANTY**	3-Year GTS, 3-Year Limited	3-Year GTS, 3-Year Limited
FEATURES		
TIMEMASTER® DUAL-FORCE™ DUAL BLADE TECHNOLOGY CUTTING SYSTEM	» ✓	» ✓
3-IN-1 READY; MULCH, BAG, SIDE DISCHARGE INCLUDED	✓	✓
PERSONAL PACE®	✓	✓
SPIN-STOP™ BLADE STOP	✓	✓
ELECTRIC START	-	✓
BALL-BEARING WHEELS	✓	✓
HEIGHT OF CUT	1.25" - 4.25" / , 3.2 - 10.8 cm 2-point	1.25" - 4.25" / , 3.2 - 10.8 cm 2-point
WHEEL HEIGHT	8" Front/ 20.3 cm, 10" Rear/25.4 cm	8" Front/ 20.3 cm, 10" Rear/25.4 cm
HANDLE	Quick Stow 90° Storage, Adjustable Height	Quick Stow 90° Storage, Adjustable Height
WEIGHT	140 lbs. / 63.5 kg	145 lbs. 65.8 kg

» Enhanced or step-up feature



Choose Toro Total Care for Ultimate Peace of Mind

Benefit from an extended warranty, maintenance reimbursement, and more.



TIME SAVING WITH NO RESTARTS

Finish jobs up to 40% faster^{^^} with the 30" deck. Step away from your mower to move tree branches or tools without having to restart each time with Blade Spin-Stop™.

^{*}Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. [†]Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings.

[‡]The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower.

[§]Side discharge chute optional and sold separately. ^{||}Space savings are in relation to the space consumed by a Toro 22" walk power mower stored with the handle in the standard operating position. ^{^^}Time savings via wider cutting path and enhanced speed of TimeMaster[®] vs. 21" Toro[®] mower, and will vary due to mowing conditions. ^{**}See dealer for complete warranty details and for Guaranteed to Start Warranty (GTS) warranty details and limitations. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.